# Instructor's Manual to Accompany Case Studies in Health Information Management Fourth Edition

Charlotte McCuen, MS, RHIA

Nanette B. Sayles, EdD, RHIA, CCS, CHPS, CPHI, CDIP, CHDA, CPHIMS, FAHIMA

Patricia J. Schnering, RHIA, CCS

# **Contents for Complete Instructor's Manual**

Case Study Crosswalk for Associate Degree Curriculum Competencies	xi
Case Study Crosswalk for Baccalaureate Degree Curriculum Competencies	xix
Preface	xxvi

Section 1	Data Content, Structure, Standards, and Information Governance	
Case 1-1	Subjective, Objective, Assessment, and Plan (SOAP) Statements and the Problem- Oriented Health Record (POHR)	2
Case 1-2	Problem-Oriented Health Record Format	3
Case 1-3	Master Patient Index and Duplicate Health Record Number Assignment	4
Case 1-4	Enterprise MPI (E-MPI)	5
Case 1-5	Chart Check-Out Template Screen Design and Data Quality	8
Case 1-6	Patient Demographic Data Entry Template Screen Design and Data Quality	9
Case 1-7	Encounter Abstract Template Screen Design and Data Quality	10
Case 1-8	Coding Abstract Data Entry Template Screen Design and Data Quality	11
Case 1-9	Design a Template Screen for Radiology and Imaging Service Examinations	12
Case 1-10	Documentation Requirements for the History and Physical Report	13
Case 1-11	Focused Review of Patient Record Documentation: Operative Report	14
Case 1-12	Data Collection in Long-Term Care: Minimum Data Set Version 3.0	15
Case 1-13	Data Collection for Joint Commission ORYX Performance Measures	19
Case 1-14	Birth Certificate Reporting Project	20
Case 1-15	Clinical Coding Systems and Technology	23
Case 1-16	Text Messaging of ePHI	24
Case 1-17	Joint Commission Mock Survey	25
Case 1-18	Authentication of Patient Record Documentation	27
Case 1-19	Copy and Paste in the EHR	28
Case 1-20	Case Finding for Tumor Registry	29
Case 1-21	Face Validity of QI Study on Births	30
Case 1-22	Reproductive History Interpretation	31
Case 1-23	Extract Pertinent Inpatient Medical Documentation	32
Case 1-24	Choosing a Personal Health Record	33
Case 1-25	Personal Health Record Education	34
Case 1-26	Clinical Vocabularies	35
Case 1-27	Clinical Documentation Improvement Meeting	37

Case 1-28	Breaking Down Classification Systems and Clinical Terminologies	38
Case 1-29	Documentation Standards for the Hospital Based Health Record	39
	References	40

Section 2	Information Protection: Access, Archival, Privacy, and Security	
Case 2-1	Monitoring Regulations Affecting Healthcare (Federal Register)	43
Case 2-2	Alteration of Patient Record	44
Case 2-3	Reporting Communicable Diseases	45
Case 2-4	Disclosure of Health Information Staff Privacy Training Test	47
Case 2-5	Responsibilities as Release of Information (ROI) Coordinator	50
Case 2-6	Disclosure of Health Information and the "Legal Health Record"	51
Case 2-7	Authorization for Disclosure of Health Information	52
Case 2-8	Processing a Request for Disclosure of Health Information	53
Case 2-9	E-Discovery	56
Case 2-10	Designated Record Set Identification	57
Case 2-11	Processing Requests for Information	58
Case 2-12	Valid Authorization for Requests for Release of Information (ROI)	61
Case 2-13	Health Information Management Department Process for Subpoenas for Release of Information	62
Case 2-14	Validate Subpoenas for Release of Information	63
Case 2-15	Notice of Privacy Practices	64
Case 2-16	Accounting for Disclosure of Protected Health Information under the Health Insurance Portability and Accountability Act	65
Case 2-17	Legal Issues in Accounting for Disclosure of Protected Health Information to the Health Department	67
Case 2-18	Patient's Right to Amend Record	68
Case 2-19	Institutional Process for Patient Request to Amend Record	69
Case 2-20	Investigating Potential Privacy Violations	70
Case 2-21	Investigation of Breach of Privacy	72
Case 2-22	Privacy Violation by Former Employee	73
Case 2-23	Privacy Plan Gap Analysis	74
Case 2-24	Security Measures for Access to Protected Health Information	75
Case 2-25	Access Controls	76
Case 2-26	Mobile Security	77
Case 2-27	Breach Notification	78
Case 2-28	Breach of Information at Business Associate	79
Case 2-29	Access to Health Information for Treatment	80

Case 2-30	Updating the Retention and Destruction Policy for Healthcare Records	81
Case 2-31	Retention Planning	82
Case 2-32	Evaluating Records for Destruction	83
Case 2-33	Developing a Documentation Destruction Plan	84
Case 2-34	Business Associate Noncompliance	85
Case 2-35	Employee System Access Termination Procedure	86
Case 2-36	Contingency Planning	87
Case 2-37	Business Continuity Planning	88
Case 2-38	Evaluating Systems for Health Security Regulations Compliance	89
Case 2-39	Audit Triggers	90
Case 2-40	Audit Trail Analysis	91
Case 2-41	Password Management	92
Case 2-42	Electronic Health Record Security Plan	93
Case 2-43	Patient Identification Verification	96
Case 2-44	Medical Identity Theft	99
Case 2-45	Importance of Audit Trail	100
Case 2-46	Monitoring Status of Federal Privacy and/or Security Laws and Regulations	101
Case 2-47	Create Job Description for Chief Privacy Officer (Chief Security Officer)	102
Case 2-48	Ransomware	103
Case 2-49	Risk Assessment	104
Case 2-50	Privacy and the Use of Texting and E-mail	105
Case 2-51	Conduct HIPAA Privacy Awareness Training	106
Case 2-52	HIPAA Training Newsletter	107
	References	108

# Section 3 Informatics, Analytics, and Data Use

Case 3-1	System Conversion	118
Case 3-2	System Interface	121
Case 3-3	Data Relationships	122
Case 3-4	Database Design	123
Case 3-5	Database Development	124
Case 3-6	Human Resource Database	125
Case 3-7	Database Queries	126
Case 3-8	Master Patient Index System Selection	127
Case 3-9	System Life Cycle	128
Case 3-10	Data Collection Questionnaire and Interview Questions for Systems Analysis	130

Case 3-11	Developing a Data Collection Plan for Systems Analysis	
Case 3-12	Information System Project Steering Committee	132
Case 3-13	Developing a System Selection Plan	133
Case 3-14	Decision on System Replacement	135
Case 3-15	Information System Testing Plan	136
Case 3-16	Workflow Technology	
Case 3-17	Computerized Provider Order Entry Implementation	139
Case 3-18	Normalization of Data Fields	140
Case 3-19	Admission Report Design	142
Case 3-20	Choosing Software Packages	143
Case 3-21	Selecting an Internet-Based Personal Health Record	144
Case 3-22	Data Warehouse Development	145
Case 3-23	Human-Computer Interactions	147
Case 3-24	Failure of an Electronic Health Record System	
Case 3-25	Intranet Functionality	149
Case 3-26	Cloud Computing	150
Case 3-27	Voice Recognition Editing	151
Case 3-28	Single Vendor or Best of Breed	152
Case 3-29	Functional Requirements of a Transcription System	153
Case 3-30	Electronic Signatures	155
Case 3-31	Health Information Exchange	156
Case 3-32	Public Health	
Case 3-33	HL7 EHR System Functional Model	
Case 3-34	Data Mining	159
Case 3-35	Electronic Health Record Certification	
Case 3-36	Encoder Functional Requirements	
Case 3-37	Encoder Selection	
Case 3-38	Request for Information for Encoder Systems	
Case 3-39	Exchange of Health Information Standards	
Case 3-40	Version Control	
Case 3-41	Data Flow Diagram	
Case 3-42	Assessment of EHR	
	References	

Section 4	Revenue Management	
Case 4-1	Qualification for Insurance	.178

Case 4-2	Medicare Coverage	179
Case 4-3	Medicare Part D	180
Case 4-4	Calculating Commercial Insurance Reimbursement	181
Case 4-5	Explanation of Benefits (EOB)	182
Case 4-6	Official Coding Resource	183
Case 4-7	Capitation Profit	186
Case 4-8	Selecting Coding Classification Systems	187
Case 4-9	Estimated Medicare-Severity Diagnosis-Related Group Payments	188
Case 4-10	Case Mix Index (CMI) Trends	190
Case 4-11	Top 10 Medicare-Severity Diagnosis-Related Groups	192
Case 4-12	Case Mix Index Investigation	193
Case 4-13	Case Mix Index Analysis	195
Case 4-14	Medicare Provider Analysis and Review Data Analysis	196
Case 4-15	Ambulatory Payment Classification	197
Case 4-16	Discharged Not Final Billed Reduction	198
Case 4-17	Chargemaster Audit	200
Case 4-18	Chargemaster Maintenance	201
Case 4-19	Monitoring Revenue Cycle	202
Case 4-20	Utilization Review	203
Case 4-21	Hierarchical Condition Categories	204
Case 4-22	Inpatient Rehabilitation Facility Prospective Payment System	205
Case 4-23	Medicare Physician Fee Schedule	206
Case 4-24	Present on Admission	207
Case 4-25	Calculating Cost to Charge Ratio	208
Case 4-26	Calculating Reimbursement Rate	209
Case 4-27	Calculating Denial Rate	213
	References	216

Section 5 Compliance
----------------------

Case 5-1	Hospital-Acquired Conditions	.219
Case 5-2	Coding Quality in ICD-10-CM	.220
Case 5-3	Developing a Coding Quality Plan	.222
Case 5-4	High-Risk Medicare-Severity Diagnosis-Related Groups	.225
Case 5-5	Medicare-Severity Diagnosis-Related Group Changes	.227
Case 5-6	Documentation Support for Principal Diagnosis	.228
Case 5-7	Improving Coding Quality	.229

Case 5-8	Physician Query Policy	230
Case 5-9	Physician Query Evaluation	232
Case 5-10	Physician Orders for Outpatient Testing	233
Case 5-11	Monitoring Compliance Activities	234
Case 5-12	Potential Compliance Issue	235
Case 5-13	Documentation Improvement	237
Case 5-14	Office of Inspector General Findings	238
Case 5-15	National Coverage Determination	239
Case 5-16	Local Coverage Determinations and Articles	241
Case 5-17	Medical Necessity	243
Case 5-18	Corrective Action Plan	244
Case 5-19	Comprehensive Error Rate Testing Benchmarking	245
Case 5-20	Recovery Audit Contractor Additional Documentation Limits	246
Case 5-21	Clinical Documentation Improvement (CDI) Plan Evaluation	247
Case 5-22	Medical Necessity Appeal Letter Education	248
Case 5-23	Writing an Appeal Letter for a MS-DRG Change Denial	250
Case 5-24	Documentation Improvement Presentation	251
Case 5-25	Advanced Beneficiary Notices Audit	252
Case 5-26	Clinical Documentation Metrics	254
Case 5-27	Coding Audits	256
	References	257

#### Section 6 Leadership

Case 6-1	Developing an Organizational Chart for Health Information Management	260
Case 6-2	Writing a Policy and Procedure	261
Case 6-3	Work Measurement Study	263
Case 6-4	Evaluating Employees' Skills	265
Case 6-5	Recruiting Resources	
Case 6-6	Recruitment Advertisement	270
Case 6-7	Interviewing Job Applicants	271
Case 6-8	Job Applicant and the Americans with Disabilities Act	272
Case 6-9	Developing a Training Plan	273
Case 6-10	Department Coverage	274
Case 6-11	Decision-Making	275
Case 6-12	Progressive Disciplinary Approach	276
Case 6-13	Falsification of Information on Employment Application	

Case 6-14	Time Management	281
Case 6-15	Interdepartmental Communications	283
Case 6-16	Merit Raise	284
Case 6-17	Incentive-Based Compensation Programs	285
Case 6-18	Payroll Budget Decisions	289
Case 6-19	Budgeting for Reducing Payroll	291
Case 6-20	Calculating Salary Increases	292
Case 6-21	Calculating Department Operations Budget	297
Case 6-22	Net Present Value (NPV) Method of Evaluating a Capital Expense	299
Case 6-23	Accounting Rate of Return Method of Evaluating a Capital Expense	300
Case 6-24	Payback Method of Evaluating a Capital Expense	301
Case 6-25	Developing the Health Information Management Operations Budget	303
Case 6-26	Developing the Health Information Management Department Budget	305
Case 6-27	Updating Department Organizational Chart	310
Case 6-28	Job Description Analysis	311
Case 6-29	Productivity Study	312
Case 6-30	Performance and Quality Improvement in a Coding Department	313
Case 6-31	Instituting Productivity and Quality Standards for Imaging or Scanning Records	315
Case 6-32	Evaluation of Transcription Department	317
Case 6-33	Performance and Quality Evaluation and Improvement of Health Information Management Department	320
Case 6-34	Revision of the Information Management Plan	323
Case 6-35	Defining a Project	325
Case 6-36	Job Description for Project Manager	327
Case 6-37	Forming Committees	328
Case 6-38	Committee to Perform System Benefits Analysis	331
Case 6-39	Project Management and Program Evaluation Review Technique Chart	332
Case 6-40	Project Management and Analysis of a Gantt Chart	333
Case 6-41	Creating a Gantt Chart	334
Case 6-42	Evaluation of Project Management Budget Variance	342
Case 6-43	Planning the Health Information Management Department for a New Facility	343
Case 6-44	Planning Release of Information Department Functions for a New Facility	352
Case 6-45	American Health Information Management Association Code of Ethics	353
Case 6-46	Campaign Posters in the Clinic	354
Case 6-47	Research Studies and Ethics	355
Case 6-48	Health Information Management Staff and Confidentiality	356

Case 6-49	Management Training Program	357
	References	358

#### Section 7 Healthcare Statistics and Research Methods

Case 7-1	Inpatient Service Days	
Case 7-2	Average Daily Census	
Case 7-3	Length of Stay (LOS)	363
Case 7-4	Average Length of Stay	364
Case 7-5	Percentage of Occupancy for Month	367
Case 7-6	Percentage of Occupancy for Year with Change in Bed Count	368
Case 7-7	Percentage of Occupancy by Unit	369
Case 7-8	Consultation Rate	370
Case 7-9	Infection Rates	372
Case 7-10	Prevalence and Incidence Rates	374
Case 7-11	Comparative Heath Data: Hospital Mortality Statistics	376
Case 7-12	Joint Commission Hospital Quality Check	377
Case 7-13	Hospital Comparative Data for Clinical Services	380
Case 7-14	Nursing Home Comparative Data	381
Case 7-15	Residential Care Facilities in Long-Term Care	382
Case 7-16	Relative Risk Comparison	383
Case 7-17	Determining Appropriate Formulas: Ratios	384
Case 7-18	Calculating Obstetrics (OB) Statistics	386
Case 7-19	Research Drug Overdose Mortality Trend	387
Case 7-20	Hospital Statistics Spreadsheet	388
Case 7-21	Benchmarks for Leading Causes of Death	389
Case 7-22	U.S. Health Risks of Substance Use through Public Data	390
Case 7-23	AHRQ Public Data Use of Most Common Diagnsoes and Principal Procedures for U.S	
	Hospitalizations	
Case 7-24	Medicare-Severity Diagnosis-Related Groups and Revenue	393
Case 7-25	Health Information Management State Association Board Review for Improvement Opportunities	395
Case 7-26	Calculating Physician Service Statistics	396
Case 7-27	Determining the Percentage of Patients with Unacceptable Waiting Time	397
Case 7-28	Systems Analysis of Health Information Management Function from Clinical Experience	398
Case 7-29	Clinical Quality Improvement Research	399
Case 7-30	State Surveillance of Coronavirus Disease 2019	400

Case 7-31	Statistics on Septicemic Hospitalizations as Principal Diagnosis	401
Case 7-32	Pain Assessment Study	404
Case 7-33	Coronary Artery Bypass Graft Postoperative Length of Stay	405
Case 7-34	Skyview Hospital Monthly Statistical Report	406
Case 7-35	Dashboard of Coding Services	407
	References	409

For the educators use in choosing appropriate cases studies for their classes, we have included Case Study
Crosswalk for Associate and Baccalaureate Degrees Curriculum Competencies.

	Case Study Crosswalk for Associate Degree Curriculum Competencies							
	Domain 1	Domain 2	Domain 3	Domain 4	Domain 5	Domain 6		
	Data Structure, Content &	Information Protection:	Informatics, Analytics and	Revenue Cycle Management	Health Law & Compliance	Organizational Management &		
	Information Governance	Access, Use, Disclosure, Privacy & Security	Data Use			Leadership		
Section 1								
Case 1-1	Х							
Case 1-2	Х							
Case 1-3	Х	Х	Х					
Case 1-4	Х	Х	Х			Х		
Case 1-5	Х		Х					
Case 1-6	Х		Х					
Case 1-7	Х		Х					
Case 1-8	Х		Х		Х			
Case 1-9	Х		Х					
Case 1-10	Х	Х						
Case 1-11	Х		Х		Х			
Case 1-12	Х	Х	Х		х	Х		
Case 1-13	Х		Х		х	Х		
Case 1-14	Х	Х	Х					
Case 1-15	Х		Х	Х		Х		
Case 1-16	Х	Х	х		х	Х		
Case 1-17	Х		Х		Х	Х		
Case 1-18	Х	Х	Х		х			
Case 1-19	Х	Х	Х					
Case 1-20	Х		Х		х			
Case 1-21	Х					Х		
Case 1-22	Х							
Case 1-23	Х					Х		
Case 1-24	X	Х	Х			x		
Case 1-25	X	Х	X			x		
Case 1-26	Х		Х	X	Х	х		
Section 2								
Case 2-1		X			Х			
Case 2-2	Х	X			X	Х		
Case 2-3		X			Х			
Case 2-4		X				X		
Case 2-5		X				Х		
Case 2-6	Х	X						
Case 2-7		Х						

	Case Study Crosswalk for Associate Degree Curriculum Competencies (continued)						
	Domain 1	Domain 2	Domain 3	Domain 4	Domain 5	Domain 6	
	Data Structure,	Information	Informatics,	Revenue Cycle	Health Law &	Organizational	
	Content &	Protection:	Analytics and	Management	Compliance	Management &	
	Information	Access, Use,	Data Use			Leadership	
	Governance	Disclosure,					
		Privacy &					
		Security					
Case 2-8		Х					
Case 2-9		Х			Х		
Case 2-10	Х	Х					
Case 2-11		Х					
Case 2-12		Х					
Case 2-13		Х					
Case 2-14		Х					
Case 2-15		Х					
Case 2-16		Х					
Case 2-17		Х					
Case 2-18		Х					
Case 2-19		Х					
Case 2-20		Х					
Case 2-21		Х					
Case 2-22		Х					
Case 2-23		Х					
Case 2-24		Х					
Case 2-25		Х					
Case 2-26		Х					
Case 2-27		Х					
Case 2-28		Х					
Case 2-29		Х					
Case 2-30		Х					
Case 2-31		Х			Х		
Case 2-32		Х			Х		
Case 2-33		Х			Х	Х	
Case 2-34		Х					
Case 2-35		Х				Х	
Case 2-36		Х					
Case 2-37		Х					
Case 2-38		Х					
Case 2-39		Х					
Case 2-40		Х					
Case 2-41		Х					
Case 2-42		Х					
Case 2-43		Х					
Case 2-44		Х					

	Case Study Crosswalk for Associate Degree Curriculum Competencies (continued)						
	Domain 1	Domain 2	Domain 3	Domain 4	Domain 5	Domain 6	
	Data Structure,	Information	Informatics,	Revenue Cycle	Health Law &	Organizational	
	Content &	Protection:	Analytics and	Management	Compliance	Management &	
	Information	Access, Use,	Data Use			Leadership	
	Governance	Disclosure,					
		Privacy &					
		Security					
Case 2-45		Х					
Case 2-46		Х					
Case 2-47		Х				Х	
Case 2-48		Х					
Case 2-49		Х					
Case 2-50		Х					
Case 2-51		Х					
Case 2-52		Х					
Section 3							
Case 3-1	Х	Marked	Х				
Case 3-2			Х				
Case 3-3			Х				
Case 3-4	Х		Х				
Case 3-5	Х		Х				
Case 3-6			Х			Х	
Case 3-7	Х	Х	Х				
Case 3-8	Х		Х			Х	
Case 3-9			Х				
Case 3-10			Х				
Case 3-11			Х				
Case 3-12			Х				
Case 3-13			Х				
Case 3-14			Х				
Case 3-15			Х				
Case 3-16			Х			Х	
Case 3-17			Х				
Case 3-18	Х		Х				
Case 3-19			Х				
Case 3-20			Х				
Case 3-21	Х	Х	Х				
Case 3-22			Х				
Case 3-23			Х				
Case 3-24			Х				
Case 3-25			Х			Х	
Case 3-26			Х				
Case 3-27			Х			Х	

	Case Study Crosswalk for Associate Degree Curriculum Competencies (continued)						
	Domain 1	Domain 2	Domain 3	Domain 4	Domain 5	Domain 6	
	Data Structure,	Information	Informatics,	Revenue Cycle	Health Law &	Organizational	
	Content &	Protection:	Analytics and	Management	Compliance	Management &	
	Information	Access, Use,	Data Use			Leadership	
	Governance	Disclosure,					
		Privacy &					
		Security					
		,					
Case 3-28			Х				
Case 3-29			Х			Х	
Case 3-30		Х	Х				
Case 3-31		Х	Х				
Case 3-32			Х				
Case 3-33			Х				
Case 3-34			Х				
Case 3-35			Х				
Case 3-36			Х				
Case 3-37		Marked	Х				
Case 3-38			Х				
Case 3-39			Х				
Case 3-40			Х				
Case 3-41			Х				
Case 3-42			Х				
Case 3-38		Х	Х	Х	Х	Х	
Case 3-39	Х	Х	Х	Х	Х	Х	
Case 3-34	Х	Х	Х	Х	Х	Х	
Case 3-35	Х	Х	Х			Х	
Section 4							
Case 4-1				Х			
Case 4-2				Х			
Case 4-3				Х			
Case 4-4				Х			
Case 4-5				Х			
Case 4-6				Х			
Case 4-7				Х			
Case 4-8				Х			
Case 4-9				Х			
Case 4-10			Х	Х			
Case 4-11				Х			
Case 4-12				Х			
Case 4-13				Х			
Case 4-14				Х			
Case 4-15				Х			
Case 4-16				Х			
Case 4-17				Х			
Case 4-18				Х			

	Case Study Crosswalk for Associate Degree Curriculum Competencies (continued)						
	Domain 1	Domain 2	Domain 3	Domain 4	Domain 5	Domain 6	
	Data Structure,	Information	Informatics,	Revenue Cycle	Health Law &	Organizational	
	Content &	Protection:	Analytics and	Management	Compliance	Management &	
	Information	Access, Use,	Data Use			Leadership	
	Governance	Disclosure,					
		Privacy &					
		, Security					
		,					
Case 4-19				х			
Case 4-20				Х			
Case 4-21				Х			
Case 4-22				Х			
Case 4-23				Х			
Case 4-24				х			
Case 4-25				Х			
Case 4-26				Х			
Case 4-27				Х			
Section 5							
Case 5-1					Х		
Case 5-2					Х		
Case 5-3					Х		
Case 5-4					Х		
Case 5-5					Х		
Case 5-6	Х				Х		
Case 5-7					Х		
Case 5-8					Х		
Case 5-9					Х		
Case 5-10					Х		
Case 5-11					Х		
Case 5-12				Х	Х		
Case 5-13	Х				Х		
Case 5-14					Х		
Case 5-15					Х		
Case 5-16					Х		
Case 5-17					X		
Case 5-18					X		
Case 5-19					X		
Case 5-20					X		
Case 5-21					X		
Case 5-21					X		
Case 5-22					X		
Case 5-23					X		
Case 5-24					X		
Case 5-25					X		
Case 5-26					X		
Case 5-27					x		
Case J-Z/	l				~		

	Case Study Crosswalk for Associate Degree Curriculum Competencies (continued)						
	Domain 1	Domain 2	Domain 3	Domain 4	Domain 5	Domain 6	
	Data Structure,	Information	Informatics,	Revenue Cycle	Health Law &	Organizational	
	Content &	Protection:	Analytics and	Management	Compliance	Management &	
	Information	Access, Use,	Data Use			Leadership	
	Governance	Disclosure,					
		Privacy &					
		Security					
Section 6							
Case 6-1						Х	
Case 6-2		Х				Х	
Case 6-3						Х	
Case 6-4						Х	
Case 6-5						Х	
Case 6-6						Х	
Case 6-7						Х	
Case 6-8						Х	
Case 6-9						Х	
Case 6-10						Х	
Case 6-11						Х	
Case 6-12						Х	
Case 6-13						Х	
Case 6-14						Х	
Case 6-15						Х	
Case 6-16						Х	
Case 6-17						Х	
Case 6-18						Х	
Case 6-19						Х	
Case 6-20						Х	
Case 6-21			Х			Х	
Case 6-22						Х	
Case 6-23						Х	
Case 6-24						Х	
Case 6-25						Х	
Case 6-26						Х	
Case 6-27						Х	
Case 6-28						Х	
Case 6-29						Х	
Case 6-30						Х	
Case 6-31			Х			Х	
Case 6-32						Х	
Case 6-33	Х	Х	Х	Х	Х	Х	
Case 6-34	Х	Х	Х	Х	Х	Х	
Case 6-35						Х	
Case 6-36						Х	
Case 6-37						Х	

	Case Study Cr	osswalk for Asso	ciate Degree Curi	riculum Compete	ncies <i>(continue</i>	d)
	Domain 1	Domain 2	Domain 3	Domain 4	Domain 5	Domain 6
	Data Structure,	Information	Informatics,	Revenue Cycle	Health Law &	Organizational
	Content &	Protection:	Analytics and	Management	Compliance	Management &
	Information	Access, Use,	Data Use			Leadership
	Governance	Disclosure,				
		Privacy &				
		Security				
Case 6-38						Х
						X
Case 6-39			V			
Case 6-40			Х			X
Case 6-41						X
Case 6-42						X
Case 6-43						X
Case 6-44						X
Case 6-45	Х	Х	Х	X	Х	Х
Case 6-46	Х	Х	Х			Х
Case 6-47						Х
Case 6-48						Х
Case 6-49			Х			Х
Case 6-50		Х				Х
Section 7						
Case 7-1			Х			Х
Case 7-2			Х			Х
Case 7-3			Х			Х
Case 7-4			Х			Х
Case 7-5			Х			Х
Case 7-6			Х			Х
Case 7-7			Х			Х
Case 7-8			Х			х
Case 7-9			Х			Х
Case 7-10			Х			
Case 7-11			Х			
Case 7-12	Х		Х		х	Х
Case 7-13			X		х	Х
Case 7-14			Х		х	Х
Case 7-15	Х		X			Х
Case 7-16			X			Х
Case 7-17	Х		X			x
Case 7-18	X		X		x	
Case 7-19			X		~	Х
Case 7-20	х		X			X
Case 7-20 Case 7-21	~		X			X
Case 7-21 Case 7-22	х		X			
						Y
Case 7-23	Х		Х			Х

	Case Study Cr	osswalk for Asso	ciate Degree Curi	riculum Compete	ncies <i>(continue</i>	d)
	Domain 1	Domain 2	Domain 3	Domain 4	Domain 5	Domain 6
	Data Structure, Content & Information Governance	Information Protection: Access, Use, Disclosure, Privacy & Security	Informatics, Analytics and Data Use	Revenue Cycle Management	Health Law & Compliance	Organizational Management & Leadership
Case 7-24	Х		Х	х		Х
Case 7-25	х		Х			Х
Case 7-26	Х		Х			Х
Case 7-27	Х		Х			Х
Case 7-28	Х	Х	Х	Х	Х	Х
Case 7-29		Х	Х			Х
Case 7-30	Х		Х			Х
Case 7-31	Х		Х		Х	Х
Case 7-32			Х			Х
Case 7-33	Х		Х			Х
Case 7-34	Х	Х	Х			Х
Case 7-35			Х	Х	Х	Х

	Case Study	y Crosswalk for E	Baccalaureate Deg	gree Curriculum (	Competencies	
	Domain 1	Domain 2	Domain 3	Domain 4	Domain 5	Domain 6
	Data Structure,	Information	Informatics,	Revenue	Health Law &	Organizational
	Content &	Protection:	Analytics and	Management	Compliance	Management &
	Information	Access,	Data Use			Leadership
	Governance	Disclosure,				
		Archival,				
		Privacy &				
		Security				
Section 1						
Case 1-1	Х					
Case 1-2	Х					
Case 1-3	Х	Х	Х			
Case 1-4	Х	Х	Х			Х
Case 1-5	Х		Х			
Case 1-6	Х		Х			
Case 1-7	Х		Х			
Case 1-8	Х		Х		Х	
Case 1-9	Х		Х			
Case 1-10	Х	Х				
Case 1-11	Х		Х			
Case 1-12	Х	Х	Х		Х	
Case 1-13	Х	Х	Х		Х	
Case 1-14			Х			
Case 1-15	Х		Х	Х		
Case 1-16	Х	Х	Х	Х	Х	Х
Case 1-17	Х					
Case 1-18	Х				Х	
Case 1-19	Х		Х			
Case 1-20					Х	
Case 1-21	Х					
Case 1-22	Х					
Case 1-23	Х					
Case 1-24	Х	Х	Х			Х
Case 1-25	Х	Х				Х
Case 1-26	Х					Х
Section 2						
Case 2-1		Х			Х	
Case 2-2	Х	Х			Х	Х
Case 2-3		Х			Х	
Case 2-4		Х				Х
Case 2-5		Х				х
Case 2-6	Х	Х				
Case 2-7		Х				
Case 2-8		Х				

	Case Study Cross	swalk for Baccala	aureate Degree C	urriculum Compe	etencies <i>(continu</i>	ued)
	Domain 1	Domain 2	Domain 3	Domain 4	Domain 5	Domain 6
	Data Structure,	Information	Informatics,	Revenue	Health Law &	Organizational
	Content &	Protection:	Analytics and	Management	Compliance	Management &
	Information	Access,	Data Use			Leadership
	Governance	Disclosure,				
		Archival,				
		Privacy &				
		Security				
Case 2-9		Х			х	
Case 2-10	Х	Х				
Case 2-11		Х				
Case 2-12		Х				
Case 2-13		Х				
Case 2-14		Х				
Case 2-15		Х				
Case 2-16		Х				
Case 2-17		Х				
Case 2-18		Х				
Case 2-19		Х				
Case 2-20		Х				
Case 2-21		Х				
Case 2-22		Х				
Case 2-23		Х				
Case 2-24		Х				
Case 2-25		Х				
Case 2-26		Х				
Case 2-27		Х				
Case 2-28		Х				
Case 2-29		Х				
Case 2-30		Х				
Case 2-31		Х			х	
Case 2-32		Х			х	
Case 2-33		Х			х	Х
Case 2-34		Х				
Case 2-35		Х				Х
Case 2-36		Х				
Case 2-37		Х				
Case 2-38		Х				
Case 2-39		Х				
Case 2-40		Х				
Case 2-41		Х				
Case 2-42		Х				
Case 2-43		Х				
Case 2-44		Х				

	Case Study Cross	swalk for Baccala	aureate Degree C	urriculum Compe	etencies (contine	ued)
	Domain 1	Domain 2	Domain 3	Domain 4	Domain 5	Domain 6
	Data Structure,	Information	Informatics,	Revenue	Health Law &	Organizational
	Content &	Protection:	Analytics and	Management	Compliance	Management &
	Information	Access,	Data Use			Leadership
	Governance	Disclosure,				
		Archival,				
		Privacy &				
		Security				
Case 2-45		Х				
Case 2-46		Х				
Case 2-47		Х				Х
Case 2-48		Х				
Case 2-49		Х				
Case 2-50		Х				
Case 2-51		Х				
Case 2-52		Х				
Section 3						
Case 3-1	Х		Х			
Case 3-2			Х			
Case 3-3			Х			
Case 3-4	Х		Х			
Case 3-5	Х		Х			
Case 3-6			Х			Х
Case 3-7	Х	Х	Х			
Case 3-8	Х		Х			Х
Case 3-9			Х			
Case 3-10			Х			
Case 3-11			Х			
Case 3-12			Х			
Case 3-13			Х			
Case 3-14			Х			
Case 3-15			Х			
Case 3-16			Х			Х
Case 3-17			Х			
Case 3-18	Х		Х			
Case 3-19			Х			
Case 3-20			Х			
Case 3-21	Х	Х	Х			
Case 3-22			Х			
Case 3-23			Х			
Case 3-24			Х			
Case 3-25			Х			Х
Case 3-26			Х			
Case 3-27			Х			Х
Case 3-28			Х			

	Case Study Cross	swalk for Baccala	ureate Degree C	urriculum Compe	etencies <i>(contin</i>	ued)
	Domain 1	Domain 2	Domain 3	Domain 4	Domain 5	Domain 6
	Data Structure,	Information	Informatics,	Revenue	Health Law &	Organizational
	Content &	Protection:	Analytics and	Management	Compliance	Management &
	Information	Access,	Data Use			Leadership
	Governance	Disclosure,				
		Archival,				
		Privacy &				
		Security				
Case 3-29		,	х			
Case 3-30		Х	X			
Case 3-31		X	X			
Case 3-32		X	X			
Case 3-33			X			
Case 3-34			X			
Case 3-34			X			
Case 3-36		<u> </u>	X			
Case 3-30		<u> </u>	X			
Case 3-38			X			
Case 3-39			X			
Case 3-39			X			
Case 3-40 Case 3-41			X			
Case 3-42			X			
Section 4						
Case 4-1				Х		
Case 4-2				Х		
Case 4-3				Х		
Case 4-4				Х		
Case 4-5				Х		
Case 4-6				х		
Case 4-7				X		
Case 4-8				X		
Case 4-9				Х		
Case 4-10			Х	Х		
Case 4-11				X		
Case 4-12				X		
Case 4-13				X		
Case 4-14				X	1	
Case 4-15				x		
Case 4-15 Case 4-16				X		
Case 4-10 Case 4-17				x		
Case 4-17 Case 4-18				X		
				X		
Case 4-19						
Case 4-20				X	<u> </u>	
Case 4-21	<u> </u>			X		
Case 4-22				Х		

Domain 1Domain 2Domain 3Domain 4Domain 5Domain 5Domain 6OrganizationalData Structure, GovernanceInformation Access, Disclosure, Archival, Privacy & SecurityInformation Data UseRevenue Management A Data UseHealth Law & Management A LeadershipOrganizational Management A LeadershipCase 4-23XCase 4-24XCase 4-25XCase 4-26XCase 4-27XCase 4-28XCase 4-29XCase 4-21XCase 4-25XCase 4-26XCase 4-27XCase 5-1XCase 5-2XCase 5-3XCase 5-4XCase 5-5XCase 5-6XCase 5-7XCase 5-10XCase 5-11XCase 5-13X </th <th></th> <th>Case Study Cross</th> <th>swalk for Baccala</th> <th>ureate Degree C</th> <th>urriculum Compe</th> <th>etencies (contin</th> <th>ued)</th>		Case Study Cross	swalk for Baccala	ureate Degree C	urriculum Compe	etencies (contin	ued)
Content & Information GovernanceProtection: Access, Disclosure, Archival, Privacy & SecurityAnalytics and Data UseManagement Number of SecurityManagement & LeadershipManagement & LeadershipCase 4-23N						1	
Information GovernanceAccess, Disclosure, Archival, Privacy & SecurityData UseImage: Constraint of the second seco		Data Structure,	Information	Informatics,	Revenue	Health Law &	Organizational
Governance         Disclosure, Archival, Privacy & Security         X		Content &	Protection:	Analytics and	Management	Compliance	Management &
Archival, Privacy & SecurityXImage: securityCase 4-23XXImage: securityCase 4-24XXImage: securityCase 4-25XXImage: securityCase 4-26XImage: securityImage: securityCase 4-27XImage: securityImage: securityCase 4-27XImage: securityImage: securityCase 4-27Image: securityXImage: securityCase 4-27Image: securityXImage: securityCase 5-1Image: securityXImage: securityCase 5-1Image: securityXImage: securityCase 5-3Image: securityXImage: securityCase 5-4Image: securityXImage: securityCase 5-5Image: securityXImage: securityCase 5-6XImage: securityXImage: securityCase 5-7Image: securityXImage: securityCase 5-8Image: securityXImage: securityCase 5-9Image: securityXImage: securityCase 5-10Image: securityXImage: securityCase 5-11Image: securityXImage: securityCase 5-12Image: securityXImage: securityCase 5-13XImage: securityXCase 5-14Image: securityXImage: securityCase 5-15Image: securityXImage: securityCase 5-16Image: security			Access,	Data Use	_		Leadership
Archival, Privacy & Security         Archival, Security         Marchival, Security           Case 4-23         X         X         X           Case 4-24         X         X         X           Case 4-25         X         X         X           Case 4-26         X         X         X           Case 4-27         X         X         X           Case 4-27         X         X         X           Case 5-1         X         X         X           Case 5-3         X         X         X           Case 5-4         X         X         X           Case 5-5         X         X         X           Case 5-6         X         X         X           Case 5-7         X         X         X           Case 5-6         X         X         X           Case 5-7         X         X         X           Case 5-10         X         X         X           Case 5-11         X         X         X           Case 5-12         X         X         X           Case 5-13         X         X         X           Case 5-14         X		Governance	Disclosure,				
Privacy & Security         X         Image: security           Case 4-23         X         X         Image: security           Case 4-24         X         X         Image: security           Case 4-25         X         X         Image: security           Case 4-26         X         X         Image: security           Case 4-26         X         X         Image: security           Case 4-26         X         X         Image: security           Case 4-27         X         X         Image: security           Case 4-27         X         X         Image: security           Case 5-1         X         X         Image: security           Case 5-10         X         X         Image: security           Case 5-11         X         X         Image: security           Case 5-12         X         X <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
Security         X         X           Case 4-23         X         X         Image: Case 4-24           Case 4-25         X         Image: Case 4-26         X         Image: Case 4-27           Case 4-26         X         X         Image: Case 4-27         Image:							
Case 4-23       X       X         Case 4-24       X       X         Case 4-25       X       X         Case 4-26       X       X         Case 4-27       X       X         Section 5       X       X         Case 5-1       X       X         Case 5-3       X       X         Case 5-4       X       X         Case 5-5       X       X         Case 5-6       X       X         Case 5-7       X       X         Case 5-8       X       X         Case 5-7       X       X         Case 5-8       X       X         Case 5-9       X       X         Case 5-10       X       X         Case 5-11       X       X         Case 5-12       X       X         Case 5-13       X       X         Case 5-15       X       X         Case 5-15       X       X         Case 5-16       X       X         Case 5-17       X       X         Case 5-18       X       X         Case 5-19       X       X         <							
Case 4-24       X       X         Case 4-25       X       X         Case 4-26       X       X         Case 4-27       X       X         Case 4-27       X       X         Section 5       X       X         Case 5-1       X       X         Case 5-2       X       X         Case 5-3       X       X         Case 5-4       X       X         Case 5-5       X       X         Case 5-6       X       X         Case 5-7       X       X         Case 5-7       X       X         Case 5-7       X       X         Case 5-7       X       X         Case 5-10       X       X         Case 5-10       X       X         Case 5-11       X       X         Case 5-12       X       X         Case 5-13       X       X         Case 5-14       X       X         Case 5-15       X       X         Case 5-14       X       X         Case 5-17       X       X         Case 5-18       X       X         <	Case 4-23		Cooling		x		
Case 4-25       X       X         Case 4-26       X       X         Case 4-27       X       X         Case 4-27       X       X         Case 4-27       X       X         Case 4-27       X       X         Case 5-1       X       X         Case 5-3       X       X         Case 5-3       X       X         Case 5-3       X       X         Case 5-4       X       X         Case 5-5       X       X         Case 5-6       X       X         Case 5-7       X       X         Case 5-8       X       X         Case 5-9       X       X         Case 5-10       X       X         Case 5-11       X       X         Case 5-12       X       X         Case 5-13       X       X         Case 5-14       X       X         Case 5-15       X       X         Case 5-16       X       X         Case 5-17       X       X         Case 5-18       X       X         Case 5-19       X       X         <							
Case 4-26       X       X         Section 5       X       X         Case 5-1       X       X         Case 5-2       X       X         Case 5-3       X       X         Case 5-4       X       X         Case 5-5       X       X         Case 5-6       X       X         Case 5-7       X       X         Case 5-8       X       X         Case 5-9       X       X         Case 5-10       X       X         Case 5-2       X       X         Case 5-5       X       X         Case 5-6       X       X         Case 5-7       X       X         Case 5-8       X       X         Case 5-9       X       X         Case 5-10       X       X         Case 5-11       X       X         Case 5-12       X       X         Case 5-13       X       X         Case 5-14       X       X         Case 5-15       X       X         Case 5-16       X       X         Case 5-17       X       X         Ca							
Case 4-27       X       X       X         Section 5       X       X       X         Case 5-1       X       X       X         Case 5-2       X       X       X         Case 5-3       X       X       X         Case 5-4       X       X       X         Case 5-5       X       X       X         Case 5-6       X       X       X         Case 5-7       X       X       X         Case 5-8       X       X       X         Case 5-9       X       X       X         Case 5-10       X       X       X         Case 5-11       X       X       X         Case 5-12       X       X       X         Case 5-13       X       X       X         Case 5-14       X       X       X         Case 5-15       X       X       X         Case 5-17       X       X       X         Case 5-13       X       X       X         Case 5-14       X       X       X         Case 5-15       X       X       X         Case 5-19       X <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
Section 5         Image: Case 5-1         Image: Case 5-2         Image: Case 5-3         Image: Case 5-3<							
Case 5-1       X       X         Case 5-3       X       X         Case 5-4       X       X         Case 5-5       X       X         Case 5-6       X       X         Case 5-7       X       X         Case 5-8       X       X         Case 5-9       X       X         Case 5-10       X       X         Case 5-11       X       X         Case 5-12       X       X         Case 5-13       X       X         Case 5-14       X       X         Case 5-15       X       X         Case 5-16       X       X         Case 5-17       X       X         Case 5-18       X       X         Case 5-19       X       X         Case 5-19       X       X         Case 5-19       X       X         Case 5-20       X       X         Case 5-21       X       X         Case 5-22       X       X         Case 5-23       X       X         Case 5-24       X       X         Case 5-25       X       X	0000 1 27						
Case 5-1       X       X         Case 5-3       X       X         Case 5-4       X       X         Case 5-5       X       X         Case 5-6       X       X         Case 5-7       X       X         Case 5-8       X       X         Case 5-9       X       X         Case 5-10       X       X         Case 5-11       X       X         Case 5-12       X       X         Case 5-13       X       X         Case 5-14       X       X         Case 5-15       X       X         Case 5-16       X       X         Case 5-17       X       X         Case 5-18       X       X         Case 5-19       X       X         Case 5-19       X       X         Case 5-20       X       X         Case 5-21       X       X         Case 5-22       X       X         Case 5-23       X       X         Case 5-24       X       X         Case 5-25       X       X         Case 5-26       X       X	Section 5						
Case 5-2         X       X         Case 5-3         X       X         Case 5-4         X       X         Case 5-5         X       X         Case 5-6       X        X       X         Case 5-7         X       X         Case 5-8         X       X         Case 5-9         X       X         Case 5-10         X       X         Case 5-10         X       X         Case 5-10         X       X         Case 5-10        X       X       X         Case 5-10        X       X       X         Case 5-11        X       X       X         Case 5-12        X       X       X         Case 5-13       X        X       X         Case 5-14        X       X       X         Case 5-15        X       X       X         Case 5-17						Х	
Case 5-3							
Case 5-4        X       X         Case 5-5       X       X       X         Case 5-6       X       X       X         Case 5-7       X       X       X         Case 5-8       X       X       X         Case 5-9       X       X       X         Case 5-9       X       X       X         Case 5-10       X       X       X         Case 5-11       X       X       X         Case 5-12       X       X       X         Case 5-13       X       X       X         Case 5-14       X       X       X         Case 5-15       X       X       X         Case 5-16       X       X       X         Case 5-17       X       X       X         Case 5-18       X       X       X         Case 5-19       X       X       X         Case 5-20       X       X       X         Case 5-21       X       X       X         Case 5-23       X       X       X         Case 5-24       X       X       X         Case 5-25       X </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
Case 5-5       X       X       X         Case 5-6       X       X       X         Case 5-7       X       X       X         Case 5-8       X       X       X         Case 5-9       X       X       X         Case 5-10       X       X       X         Case 5-10       X       X       X         Case 5-11       X       X       X         Case 5-12       X       X       X         Case 5-13       X       X       X         Case 5-14       X       X       X         Case 5-15       X       X       X         Case 5-16       X       X       X         Case 5-17       X       X       X         Case 5-19       X       X       X         Case 5-19       X       X       X         Case 5-20       X       X       X         Case 5-21       X       X       X         Case 5-23       X       X       X         Case 5-24       X       X       X         Case 5-25       X       X       X         Case 5-26							
Case 5-6       X       X       X         Case 5-7       X       X       X         Case 5-8       X       X       X         Case 5-9       X       X       X         Case 5-10       X       X       X         Case 5-10       X       X       X         Case 5-11       X       X       X         Case 5-12       X       X       X         Case 5-13       X       X       X         Case 5-14       X       X       X         Case 5-15       X       X       X         Case 5-16       X       X       X         Case 5-17       X       X       X         Case 5-18       X       X       X         Case 5-19       X       X       X         Case 5-20       X       X       X         Case 5-21       X       X       X         Case 5-23       X       X       X         Case 5-24       X       X       X         Case 5-25       X       X       X         Case 5-26       X       X       X         Case 5-27 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>							
Case 5-7         X          Case 5-8         X          Case 5-9         X          Case 5-10        X           Case 5-10        X           Case 5-10        X           Case 5-11         X           Case 5-12        X       X           Case 5-12        X       X            Case 5-12        X       X		Х					
Case 5-8       X       X         Case 5-9       X       X         Case 5-10       X       X         Case 5-11       X       X         Case 5-12       X       X         Case 5-13       X       X         Case 5-14       X       X         Case 5-15       X       X         Case 5-16       X       X         Case 5-17       X       X         Case 5-18       X       X         Case 5-19       X       X         Case 5-19       X       X         Case 5-19       X       X         Case 5-20       X       X         Case 5-21       X       X         Case 5-23       X       X         Case 5-24       X       X         Case 5-25       X       X         Case 5-26       X       X         Case 5-27       X       X         Case 5-27       X       X         Case 5-27       X       X         Case 5-27       X       X         Case 5-26       X       X         Case 5-27       X       X							
Case 5-9       X       X         Case 5-10       X       X         Case 5-11       X       X         Case 5-12       X       X         Case 5-13       X       X         Case 5-13       X       X         Case 5-14       X       X         Case 5-15       X       X         Case 5-16       X       X         Case 5-17       X       X         Case 5-18       X       X         Case 5-19       X       X         Case 5-20       X       X         Case 5-21       X       X         Case 5-22       X       X         Case 5-23       X       X         Case 5-24       X       X         Case 5-25       X       X         Case 5-26       X       X         Case 5-27       X       X         X       X       X         Case 5-27       X       X         X       X       X         Case 5-27       X       X         X       X       X         X       X       X         X       X </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
Case 5-10       X       X         Case 5-11       X       X         Case 5-12       X       X         Case 5-13       X       X         Case 5-14       X       X         Case 5-15       X       X         Case 5-16       X       X         Case 5-17       X       X         Case 5-18       X       X         Case 5-19       X       X         Case 5-20       X       X         Case 5-21       X       X         Case 5-22       X       X         Case 5-23       X       X         Case 5-24       X       X         Case 5-27       X       X         Section 6       X       X							
Case 5-11        X       X         Case 5-12       X       X       X         Case 5-13       X        X       X         Case 5-14       X       X       X       X         Case 5-15       X       X       X       X         Case 5-16       X       X       X       X         Case 5-16       X       X       X       X         Case 5-17       X       X       X       X         Case 5-18       X       X       X       X         Case 5-19       X       X       X       X         Case 5-20       X       X       X       X         Case 5-21       X       X       X       X         Case 5-22       X       X       X       X         Case 5-23       X       X       X       X         Case 5-24       X       X       X       X         Case 5-25       X       X       X       X         Case 5-27       X       X       X       X         Section 6       X       X       X       X							
Case 5-12       X       X       X       X         Case 5-13       X        X       X         Case 5-14        X       X       X         Case 5-14        X       X       X         Case 5-15         X       X         Case 5-16         X       X         Case 5-16         X       X         Case 5-17         X       X         Case 5-18         X       X         Case 5-19         X       X         Case 5-20         X       X         Case 5-21         X       X         Case 5-22         X       X         Case 5-23         X       X         Case 5-24         X       X         Case 5-25         X       X         Case 5-27         X       X         Section 6          X							
Case 5-13       X       X       X         Case 5-14        X       X         Case 5-15        X       X         Case 5-16        X       X         Case 5-17        X       X         Case 5-18        X       X         Case 5-19        X       X         Case 5-20        X       X         Case 5-21        X       X         Case 5-22        X       X         Case 5-23        X       X         Case 5-25        X       X         Case 5-26        X       X         Case 5-27        X       X         Section 6         X         Case 6-1        X       X					x		
Case 5-14       X       X         Case 5-15       X       X         Case 5-16       X       X         Case 5-16       X       X         Case 5-17       X       X         Case 5-18       X       X         Case 5-19       X       X         Case 5-19       X       X         Case 5-20       X       X         Case 5-21       X       X         Case 5-22       X       X         Case 5-23       X       X         Case 5-24       X       X         Case 5-25       X       X         Case 5-26       X       X         Case 5-27       X       X         Section 6       X       X         Case 6-1       X       X		x			~		
Case 5-15       X       X         Case 5-16       X       X         Case 5-17       X       X         Case 5-18       X       X         Case 5-19       X       X         Case 5-19       X       X         Case 5-20       X       X         Case 5-21       X       X         Case 5-22       X       X         Case 5-23       X       X         Case 5-24       X       X         Case 5-25       X       X         Case 5-26       X       X         Case 5-27       X       X         Case 6-1       X       X							
Case 5-16       X       X         Case 5-17       X       X         Case 5-18       X       X         Case 5-19       X       X         Case 5-20       X       X         Case 5-20       X       X         Case 5-21       X       X         Case 5-22       X       X         Case 5-23       X       X         Case 5-24       X       X         Case 5-25       X       X         Case 5-26       X       X         Case 5-27       X       X         Case 5-27       X       X         Case 5-27       X       X         Case 5-27       X       X         Case 6-1       X       X							
Case 5-17       X       X         Case 5-18       X       X         Case 5-19       X       X         Case 5-20       X       X         Case 5-20       X       X         Case 5-20       X       X         Case 5-21       X       X         Case 5-22       X       X         Case 5-23       X       X         Case 5-24       X       X         Case 5-25       X       X         Case 5-26       X       X         Case 5-27       X       X         Section 6       X       X         Case 6-1       X       X							
Case 5-18       X       X         Case 5-19       X       X         Case 5-20       X       X         Case 5-20       X       X         Case 5-20       X       X         Case 5-21       X       X         Case 5-22       X       X         Case 5-23       X       X         Case 5-23       X       X         Case 5-24       X       X         Case 5-25       X       X         Case 5-26       X       X         Case 5-27       X       X         Section 6       X       X         Case 6-1       X       X							
Case 5-19       M       X       X         Case 5-20       X       X       X         Case 5-21       M       X       X         Case 5-22       M       X       X         Case 5-23       M       X       X         Case 5-23       M       X       X         Case 5-24       M       X       X         Case 5-25       M       X       X         Case 5-26       M       X       X         Case 5-27       M       X       X         Section 6       M       M       X         Case 6-1       M       M       X			<u> </u>				
Case 5-20       X       X         Case 5-21       X       X         Case 5-22       X       X         Case 5-23       X       X         Case 5-23       X       X         Case 5-24       X       X         Case 5-25       X       X         Case 5-26       X       X         Case 5-27       X       X         Section 6       Image: Case 6-1       X			<u> </u>				
Case 5-21MMCase 5-22MMMCase 5-23MMMCase 5-24MMMCase 5-25MMMCase 5-26MMMCase 5-27MMMSection 6MMMCase 6-1MMM							
Case 5-22XXCase 5-23XXCase 5-24XXCase 5-25XXCase 5-26XXCase 5-27XXSection 6XXCase 6-1XX							
Case 5-23MMMMCase 5-24MMMMMCase 5-25MMMMMCase 5-26MMMMMCase 5-27MMMMMSection 6MMMMMCase 6-1MMMMM			I	I	l		
Case 5-24       M       X       X         Case 5-25       M       M       X       M         Case 5-26       X       X       X       M         Case 5-27       M       M       X       M         Section 6       M       M       M       M         Case 6-1       M       M       M       M							
Case 5-25       M       M       X       M         Case 5-26       M       M       X       M         Case 5-27       M       M       X       M         Section 6       M       M       M       M         Case 6-1       M       M       M       M							
Case 5-26         X         X           Case 5-27         Image: Case 5-27         X           Image: Case 5-27         Image: Case 5-27         Image: Case 5-27         X           Image: Case 6-1         Image: Case 5-27         Image: Case 5-27         Image: Case 5-27         Image: Case 5-27							
Case 5-27         X         X           Image: Section 6         I							
Section 6         Image: Case 6-1         Image: Case 6-1<							
Case 6-1 X	Case 5-27					^	
Case 6-1 X	Section 6						
		1					Х
	Case 6-2	Х	Х	<u> </u>			X

	Case Study Cros	swalk for Baccala	ureate Degree C	urriculum Compe	etencies <i>(contin</i>	ued)
	Domain 1	Domain 2	Domain 3	Domain 4	Domain 5	Domain 6
	Data Structure,	Information	Informatics,	Revenue	Health Law &	Organizational
	Content &	Protection:	Analytics and	Management	Compliance	Management &
	Information	Access,	Data Use			Leadership
	Governance	Disclosure,				
		Archival, Privacy				
		& Security				
Case 6-5						х
Case 6-6						Х
Case 6-7						Х
Case 6-8					Х	Х
Case 6-9						X
Case 6-10						X
Case 6-11						X
Case 6-12						x
Case 6-12 Case 6-13					Х	x
Case 6-13						x
Case 6-14 Case 6-15						X
Case 6-13						X
Case 6-10 Case 6-17						X
Case 6-18						X
Case 6-19						X
Case 6-20						X
Case 6-21			Х			X
Case 6-22						X
Case 6-23						X
Case 6-24						X
Case 6-25						X
Case 6-26						Х
Case 6-27						Х
Case 6-28						Х
Case 6-29						Х
Case 6-30			Х			Х
Case 6-31				Х	Х	Х
Case 6-32			Х			Х
Case 6-33						Х
Case 6-34			Х			Х
Case 6-35						Х
Case 6-36						Х
Case 6-37						Х
Case 6-38						Х
Case 6-39						Х
Case 6-40			Х			Х
Case 6-41						Х
Case 6-42						X
Case 6-43						X

	Case Study Cros	swalk for Baccala	ureate Degree C	urriculum Compe	etencies <i>(contin</i>	ued)
	Domain 1	Domain 2	Domain 3	Domain 4	Domain 5	Domain 6
	Data Structure,	Information	Informatics,	Revenue	Health Law &	Organizational
	Content &	Protection:	Analytics and	Management	Compliance	Management &
	Information	Access,	Data Use			Leadership
	Governance	Disclosure,				
		Archival, Privacy				
		& Security				
Case 6-44						Х
Case 6-45	Х	Х	Х	Х	Х	Х
Case 6-46	Х	Х	Х			Х
Case 6-47						Х
Case 6-48						Х
Case 6-49			Х			Х
Case 6-50		Х				Х
Section 7						
Case 7-1	Х	Х	Х	Х	Х	Х
Case 7-2	Х		Х			Х
Case 7-3	Х		Х			Х
Case 7-4	Х		Х			Х
Case 7-5	Х		Х			Х
Case 7-11	Х		Х			
Case 7-12	Х	Х	Х			Х
Case 7-13	Х	Х	Х			Х
Case 7-14	Х	Х	Х			
Case 7-15	Х	Х	Х			Х
Case 7-16	Х		Х			Х
Case 7-17	Х		Х			
Case 7-18	Х		Х			
Case 7-19	Х	Х	Х			Х
Case 7-20	Х	Х	Х			Х
Case 7-21	Х	Х	Х			Х
Case 7-22	Х	Х	Х			Х
Case 7-23	Х	Х	Х			Х
Case 7-24	х	Х	Х			Х
Case 7-25		Х	Х		İ	Х
Case 7-26	Х		Х			Х
Case 7-27	Х		Х			Х
Case 7-28	Х	Х	Х	Х	Х	Х
Case 7-29		Х	Х			Х
Case 7-30	Х	Х	Х			Х
Case 7-31	Х	Х	Х	Х	Х	Х
Case 7-32			Х			Х
Case 7-33	Х	Х	Х			Х
Case 7-34	Х	Х	Х			Х
Case 7-35		Х	Х	Х	Х	Х

# Preface

#### **Instructor Manual**

The Instructor Manual includes:

- A Case Study Crosswalk for Associate Degree Curriculum Competencies. The crosswalk is aligned with the Commission on Accreditation of Health Information Technology Education (CAHIIM) standards for accreditation.
- A Case Study Crosswalk for Baccalaureate Degree Curriculum Competencies. The crosswalk is aligned with the Commission on Accreditation of Health Information Administration Education (CAHIIM) standards for accreditation.
- A Guide to teaching Online

Student assets include:

- Web links by Section and case:
- Access the Comprehensive List of References by Section and Case.
- Cases that can be downloaded to assist student work
- Spreadsheets to assist in completing individual case

#### How to Implement into Curriculum

For the educators' use in choosing appropriate case studies for their classes, we have included a table of competencies based on AHIMA Entry Level Competencies. It can be found in the instructor materials. Use the appropriate AHIMA Entry Level Competency for your program for assistance in choosing which course and level of taxonomy each case addresses.

Refer to http://www.cahiim.org/him/curriculumrequirements.html

To assist the instructor in using cases, this Instructor's Manual also contains answer keys, rationales, and references.

For continuity, when a table or figure appears in the Instructor's Manual as well as the case study book, it has the same title. If a table or figure is only in the instructor manual, it is labeled as a sample table or figure. Tables that need to be completed by students are completed in this manual for you with correct answers or suggested responses and are labeled the same as in the student text. Additionally, the tables from the text that need to be completed by students have been provided on the student companion website to facilitate completion.

When using websites for references, the URL is presented first, and then the specific address where the information was accessed is given. Although these secondary addresses may have changed from the date they were accessed, hopefully using the URL, and having the main website address will assist you in finding the materials.

## Introduction

These Health Information Management case studies have been developed to provide the student with an opportunity to experience a wide range of HIM situations. They give students a chance to utilize the HIM

principles in making decisions based on multiple variables. The case format can help students move from theory to application and analysis. Using the book with this Instructor Manual provides instructors with a transitional tool to help guide students in "bridging the gap" between content knowledge and on-the-job performance in actual HIM practice.

Critical thinking is a cornerstone to HIM practice. These case studies were designed to assist students of all levels in developing and strengthening their critical thinking skills. The case studies give the students a chance to utilize HIM principles in making decisions based on a changing HIM work field with multiple variables. Each case brings the user into the HIM setting and invites him or her to utilize HIM processes while considering all the variables that influence the protected information management situation. The cases represent a unique set of variables to offer a breadth of learning experiences and capture the reality of HIM practice. Students should not expect to be able to just look up the answers in the textbook. They will have to draw on everything they have learned in order to answer many of the questions in the case studies. Suggestions to help guide students have been provided in this Instructor Manual.

#### **Organization of the Cases in the Instructor Manual**

The cases are grouped into seven sections:

- Data Content, Structure, and Information Governance Information Protection: Access, Archival, Privacy, and Security Informatics, Analytics, and Data Use Revenue Management Compliance Leadership
- Healthcare Statistics and Research Methods

Although reimbursement issues and coding go hand in hand, we have not included a variety of coding questions since there are a myriad of excellent coding texts and workbooks. Our focus is on principles and compliance rather than on specific codes.

Within each part, cases are organized by subject area and then from less difficult to more difficult. The classification of the cases is subjective and, as we all know, many of the HIM principles pertain to more than one HIM topic.

Of course, no instructor manual can be complete in providing everything that would be helpful in using the textbook it supports. This certainly is applicable to the case study responses presented within this text. The authors of this text have made a concentrated effort to assist instructors who would make use of it. Instructors and participants who work the case studies presented are encouraged to expand and improve upon these responses or to develop them more on their own.

# **SECTION ONE**

Data Content, Structure, Standards, and Information Governance

Subjective, Objective, Assessment, and Plan (SOAP) Statements and the Problem-Oriented Health Record (POHR)

#### **Questions and Suggested Answers**

Evaluate whether each statement is a subjective (S), objective (O), assessment (A), or plan (P) entry from the patient records.

- 1. <u>P</u> Rule out myocardial infarction.
- 2. <u>S</u> Patient complains of pain in the left ear and upon neck movement.
- 3. O BP 130/80. Pulse 85. Respiration 20. Temperature 98.6°F. Lungs clear. Heart regular. Abdomen nontender.
- 4. <u>P</u> Compare baseline mammogram from 2006 to current mammogram.
- 5. <u>A</u> Uncontrolled hypertension.
- 6. <u>S</u> Chest pain.
- 7. <u>O</u> Pedal edema was 2+.
- 8. <u>A</u> Possible aortic aneurysm.
- 9. <u>P</u> Rule out cancerous tumor following biopsy of thyroid lesion.
- 10. <u>S</u> Patient complained of headache, fatigue, and photosensitivity.
- 11. <u>S</u> Patient states, "I am thirsty all the time."
- 12. P Discharge home with home health nursing and durable medical equipment. Follow-up in 1 week with Dr. Brantley. Home medications of Plavix 75 mg, Zetia 10 mg, Norvasc 25 mg, and Tricor 145 mg.
- 13. O BUN 21.0 mg/dL, ALB 6.0 g/dL, bilirubin total 6.3 mg/dL.
- 14. <u>O</u> Percussion was normal.
- 15. <u>A</u> MRI brain with and without contrast: negative findings.
- 16. <u>S</u> Complaining of pain in the low back.
- 17. <u>A</u> Chest X-ray: negative. EKG: A-fibrillation. Total LDH: 145.
- 18. <u>O</u> Laceration measured 2 cm above right brow.
- 19. <u>P</u> Determine treatment following results of radiology studies.
- 20. <u>A</u> Surgical Pathology Frozen Section: Lung LLL Wedge Biopsy reflects non–small cell carcinoma involving pleural nodule.

#### References

Bowie McWay Oachs and Watters Sayles and Gordon

### Problem-Oriented Health Record Format

#### **Questions and Suggested Answers**

1. What is the patient's chief complaint?

Severe pain in the left hip.

2. What information in the scenario is "subjective"?

Severe pain in left hip sustained from fall out of wheelchair.

3. What information in the scenario is "objective"?

Intertrochanteric fracture of the left hip, shortening of left leg, and good bilateral pedal pulses prior to surgery. After surgery, there was diffuse osteopenia and near alignment of intertrochanteric femoral neck.

4. Does Dr. Jenkins have a definitive assessment of Ms. Gerry's problem?

Prior to surgery, the patient was diagnosed with fracture of left intertrochanteric hip.

5. What is the plan for this patient?

*Vitamin K to decrease protime, Bucks traction, and open reduction with internal fixation of left hip upon receipt of a medical clearance.* 

#### References

Bowie McWay Oachs and Watters Sayles and Gordon

### Master Patient Index and Duplicate Health Record Number Assignment

#### **Questions and Suggested Answers**

1. For each pair of patients listed, which health record number should be retained based on the hospital policy?

*The survivorship number should be the MR# retained per policy. The original or initial MR# assigned would be the survivorship in each case:* 

- Case 1 is MR# 016792
- Case 2 is MR# 019156
- Case 3 is MR# 114682
- Case 4 is MR# 015467
- Case 5 is MR# 122199
- Case 6 is MR# 098972
- 2. Which numbers listed do you think will require further documentation review to determine whether the patients are the same or not?

*Case numbers 3 and 5 will require further investigation to verify if they are the same patient. However, case numbers 2, 4, and 6 are unlikely the same patient.* 

3. Which record documentation or data elements from the patient record could be used for determining "matches" of same patient versus different patients?

When the demographic data from the MPI are ambiguous, record documentation that includes signature from the patient or patient representatives, signature of the guarantor, or insurance policy and/or policy number should be used to validate if a patient match exists.

#### References

Bowie McWay Oachs and Watters Sayles and Gordon

#### Enterprise MPI (E-MPI)

#### **Questions and Suggested Answers**

1. Level 1: Research the recommended core elements of a single-entity master patient index (MPI) and a multi-facility enterprise MPI through professional journals, and develop a list of references used (e.g., *Journal of AHIMA*).

Student could refer to Journal of AHIMA practice brief. The core elements include Internal Patient Identifier, Person Name, Date of Birth, Gender, Race, Ethnicity, Address, Telephone Number, Alias/Previous/Maiden Name, SSN, Facility Identifier, Account/Visit Number, Admission/Encounter/Visit Date, Discharge or Departure Date, Encounter/Service Type, Encounter/Service Location, Encounter Primary Physician, and Patient Disposition. Additional recommended elements to the core elements exist for an enterprise MPI found in the article.

2. Level 2: Develop a data dictionary defining each of the data elements needed.

A sample table of definitions is provided in Table 1-4A.

3. Level 3: Design a data display screen of a multi-facility enterprise MPI screen.

A sample enterprise MPI (E-MPI) is shown in Figure 1-4A.

#### References

McWay Oachs and Watters Sayles and Gordon

Data Element	Definition	Data Format Type (with HL7 Abbreviation)
Enterprise ID#	Primary identifier used by the enterprise to identify the patient (Enterprise #)	
Facility Identifier	Primary identifier used by the enterprise to identify facility (Facility Code)	
Internal Patient Identification	Primary identifier used by the facility to identify patient admission (MR #)	Extended composite ID with check digit (CX)
Person Name	Legal name of patient, including suffixes (Doctor, Father, Jr., III) and prefixes	Extended person name (XPN)
Date of Birth	Patient's date of birth. Year, month, and day are entered (e.g., YYYY, MM, DD). Essential that year is entered as four digits	Time stamp (TS)
Gender	Gender of patient	Coded value in user- defined table (IS)
Race	Race of patient largely to identify based on physical characteristics by descent (e.g., American, Indian/Eskimo/Aleut, Asian or Pacific Islander, black, white, other, unknown)	Coded element (CE)
Ethnicity	Ethnicity of patient largely to identification based on shared cultural characteristics or geographic origin (e.g., Hispanic, non-Hispanic, unknown)	Coded element (CE)
Residence	Address or location of patient residence. Include street, apartment number, city, state or province, ZIP, postal code, country, type address (mailing or permanent)	Extended address (XAD)
Alias/Previous/ Maiden Name	Any names patient has used other than the current legal name. Include nicknames, maiden, previous	Extended person name (XPN)
Social Security Number	Personal identification number assigned by U.S. Social Security Administration	String data (ST)
Telephone Number	Telephone number at which the patient can be contacted. Include home, business, or friend	Extended telecommunication number (XTN)

**TABLE 1-4A** Definitions for Data Dictionary

t Nne:	Mild Nm:	Last	Nm:
VAlles   Nm:	Suffix:	DOB:	85H
	Sex:	Ethnic:	Country:
yCode:	Pacility MR6:		interprise #:
Phone:		w	onk Phone:
Add 1:		Apt #	City:
Add 2:		State/Province	: <b>Zip</b> :

#### FIGURE 1-4A EMPI

#### Reference

American Health Information Management Association (AHIMA) (2010)

Chart Check-Out Template Screen Design and Data Quality

#### **Questions and Suggested Answers**

Identify ways to improve data quality.

- Figure 1-2 has inefficient use of space.
- Data fields should be sequenced with workflow and read horizontally on screen, from left to right.
- Ensure data quality and data checks are built into the screen to capture the correct type of data and field width.
- Utilize drop-down windows, check boxes, or radio buttons in capture of data (e.g., a drop-down box could be used for the location field to ensure that only valid locations could be entered).
- Good operations management would allow a print option to give a slip (or list with multiple record request), indicating a due date for return in abidance with hospital policy.
- Checked-out date chart could be assigned by the system automatically to prevent data entry errors and to save time.
- Patient name should be automatically populated when the medical record number is entered.
- The user should be recorded based on sign-on, so there is no need for the initial field.

#### References

Abdelhak AHIMA Workgroup Amatayakul Oachs and Watters Sayles and Gordon Williams

Patient Demographic Data Entry Template Screen Design and Data Quality

### **Questions and Suggested Answers**

Identify ways to improve data quality.

- Figure 1-3 has inefficient use of space.
- Data fields should be sequenced with workflow and read horizontally on screen, from left to right.
- The hair color field should be dropped because it is irrelevant to the data being collected.
- For normalization purposes, the city and state should be broken down into two separate fields. The state field could be a drop box from which the user could select the appropriate state. The state in which the facility is located should be the default. The city field could be populated by ZIP code.
- The demographics captured on this field are very basic. There are additional demographic data elements that should be captured including, but not limited to, race, gender, religion, and phone number including area code.
- Recommend field for date of birth (DOB) to be added and to be sequenced with workflow in gathering patient information at time of registration.
- Ensure that data quality and data checks are built into the capture of data type.
- Utilize drop-down windows, check boxes, or radio buttons in capture of data (e.g., state).

### References

# Encounter Abstract Template Screen Design and Data Quality

### **Questions and Suggested Answers**

Identify ways to improve data quality.

- Data elements requested in Figure 1-4 appear comprehensive enough; however, there is inadequate use of space.
- Admission date could default to the day that the entry is being created but should allow the user to change the admission date in case the system is down, and the user needs to enter admissions from the previous day.
- Data fields should be sequenced with workflow and read horizontally on screen, from left to right.
- Ensure that data quality and data checks are built into the capture of data type.
- The default to the advanced directive field should be specified by the hospital policy. If the advanced directive is provided to the patient and the patient's signature is obtained at each admission, then the default could be Yes. Otherwise, it would be No.
- The data field requesting Notice of Privacy Practice Given needs to be repositioned with response radio buttons appearing either stacked vertically or aligned horizontally.
- Utilize drop-down windows, check boxes, or radio buttons in capture of data. Examples of fields for using drop-down boxes are as follows:
  - Admitting physician field should be a drop-down box.
  - The bed could be a drop-down list of all beds available for occupancy. The format could be changed so that instead of a long list, the user could select the unit and then a list of available beds would appear.

### References

# Coding Abstract Data Entry Template Screen Design and Data Quality

### **Questions and Suggested Answers**

Identify ways to improve data quality.

- Data elements requested in Figure 1-5 appear comprehensive enough; however, there is inefficient use of space.
- Data fields should be sequenced with workflow and read horizontally on screen, from left to right.
- Ensure that data quality and data checks are built into the capture of data type.
- Utilize drop-down windows, check boxes, or radio buttons in capture of data.
- The patient name should appear automatically via an interface with the hospital information system.
- There should be a way to select a particular patient visit so that you can assign the appropriate diagnosis and procedure codes. Currently, you only enter the patient's name and number.
- The procedure fields, the surgeon field, as well as the date of surgery are missing.
- The admitting diagnosis field is missing.
- The codes should be checked to ensure that they are valid.

### References

### Design a Template Screen for Radiology and Imaging Service Examinations

### **Questions and Suggested Answers**

Develop a requisition and imaging report to be used for radiology and imaging service exams. The students should employ good design principles for the screen design that:

- Include a screen title and identify organization name and address.
- Have a consistent organized format.
- Should reflect a form/template number.
- Should reflect a review/approval date.
- Sequence data fields with workflow and read horizontally on screen, from left to right.
- Ensure that data quality and data checks are built into the capture of data type.
- Utilize drop-down windows, check boxes, or radio buttons in capture of data.
- Automatically show patient name on an interface with the hospital information system.
- Gives an option to select a particular patient visit so that you can assign the appropriate diagnosis and procedure codes.
- Should reflect clear data fields with boxed field names in a smaller font.
- Have each student or teams of students create the form, and then critique each of the forms created as a class.

### References

# Documentation Requirements for the History and Physical Report

### **Questions and Suggested Answers**

Research the Joint Commission, Centers for Medicare and Medicaid Services (CMS), and Det Norske Veritas (DNV) standards for the documentation of the history and physical report for an acute hospital admission to discover the differences in requirements. Create a table showing the differences between Joint Commission standards, the Conditions of Participation (COP) with CMS, and the DNV.

Table 1-10A shows a sample of the differences in requirements.

Joint Commission Standard	CMS COP Standard	DNV Standard
History and physical (H&P) must be performed and documented in the patient record within 24 hours after admission as an acute care hospital inpatient.	An H&P must be performed no more than 7 days prior to admission or within 48 hours after admission.	
If an H&P was completed within 30 days prior to admission and reviewed and updated, it may be placed on the record within 24 hours after admission.		SR.1 The medical staff bylaws shall include a requirement that a medical history and physical examination (H&P) for each patient shall be completed and documented in the medical record no more than 30 days before or 24 hours after an admission or registration, and prior to surgery, or procedures requiring anesthesia services, and placed in the patient's medical record within 24 hours after admission. The H&P shall be in the medical record prior to surgery or other procedure requiring anesthesia services.

#### **TABLE 1-10A** Differences in Requirements for the History and Physical Report

#### References

AHIMA. "Ensuring the Integrity of the EHR." *Journal of AHIMA* 90, no. 1 (January 2019): 34–37. Bowie Joint Commission (2020, April 28, 2) Oachs and Watters Sayles and Gordon

# Focused Review of Patient Record Documentation: Operative Report

### **Questions and Suggested Answers**

Create a lists of required data elements that would be applicable in development of an audit data collection tool for operative reports, inclusive of the time requirement for completion.

#### Joint Commission Medical Record Documentation Requirements for Operative Reports

Immediate Post-Operative Note Required Elements & Time Requirements:

Name(s) of primary surgeon/physician and assistants Pre-operative diagnosis Post-operative diagnosis Name of the Procedure performed Findings of the Procedure Specimens removed Estimated Blood Loss Date and Time Recorded—time is very important as it confirms that the note was recorded prior to moving the patient to the next level of care.

**Operative Report Required Elements & Time Requirements:** 

Detailed OP reports should contain, in addition to the elements listed above, Indications for the procedure Intra-operative complications A full description of the Procedure Note: OP Reports should be dictated or handwritten immediately or within 24 hours following procedure Every entry in the Medical Record needs to be SIGNED, DATED, and TIMED EVERY TIME.

### References

Joint Commission (2020, April 28, 6). Oachs and Watters Sayles and Gordon

# Data Collection in Long-Term Care: Minimum Data Set Version 3.0

### **Questions and Suggested Answers**

1. **Level 1**: For informational purposes, visit the CMS website and review the official MDS and provide the following information:

Level 1, MDS 3.0 training: <u>https://www.youtube.com/watch?v=5-gwkGs9col&list=PLRdCQfrB2mlofD-C14NDxJcJxTi9n951M</u> <u>https://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-</u> <u>Instruments/NursingHomeQualityInits/MDS30RAIManual.html</u> <u>https://www.youtube.com/watch?v=sZLjJMntcPQ&feature=youtu.be</u>

(a) MDS 3.0 required data sections.

The MDS 3.0 is a standardized data set used in long-term care containing sections labeled A to Q, V, X, and Z for reporting to Centers for Medicare and Medicaid Services (CMS). It is important to note that data sections do not exist for R–U, W, and Y. The MDS 3.0 requires collection of various types of data utilizing the resident assessment instrument (RAI).

- (b) The types of data included under each section. Data are collected on each patient utilizing the RAI and appropriate coding convention for administrative, clinical, and patient-specific data. The types of data found under each section include A = Identification Information, B = Hearing, Speech, and Vision, C = Cognitive Patterns, D = Mood, E = Behavior, F = Preferences for Customary Routine and Activities, G = Functional Status, H = Bladder and Bowel, I = Active Disease Diagnosis, J = Health Conditions, K = Swallowing/Nutritional Status, L = Oral/Dental Status, M = Skin Conditions, N = Medications, O = Special Treatment and Procedures, P = Restraints, Q = Participation in Assessment and Goal Setting, V = Care Area Assessment Summary, X = Correction Request, and Z = Assessment Administration.
- (c) Where in the medical record you would expect to find the data to complete each section of the MDS?

The MDS data are relatively comprehensive and will require a review of the entire medical record for collection of data of many sections and resident and/or family interview for other sections in the MDS 3.0. The suggested reports within the medical record where data may be found in completing various sections of the MDS 3.0 are given in the following table.

	MDS 3.0 require	ed data sections
MDS 3.0 required data sections	MDS 3.0 required data sections	MDS 3.0 required data sections

#### TABLE 1-12a MDS 3.0 Required Data Sections

- Level 2: Answer the following questions: <u>http://www.youtube.com/watch?v=cmBeuxSnbUs</u> (Accessed by author on Dec 28, 2016)
  - (a) Which MDS 3.0 section requires using the resident's medical record for completion? The sections requiring the medical record would include A, B, E, G, H, I, K, L, M, N, O, P, V, and Z. Section A (ID Information), Section B (Hearing, Speech, and Vision), Section E (Behavior), Section G (Functional Status), Section H (Bladder and Bowel), Section I (Active Disease Diagnosis), Section K (Swallowing/Nutritional Status), Section L (Oral/Dental Status), Section M (Skin Conditions), Section N (Medications), Section O (Special Treatments and Procedures), Section P (Restraints), Section V (Care Area Assessment Summary), and Section Z (Assessment Administration).

- (b) What problems are likely to be encountered while completing the MDS 3.0? Problems that may be incurred include falsification or inaccuracy of documentation due to lack of staff knowledge in using correct coding convention of data elements pertinent to the MDS sections.
- (c) What suggestions would you make to overcome these problems? Suggestions to overcome identified problems include repeated training of staff in correct coding and completion of the various sections throughout the MDS. Provide training on conducting interviews correctly with residents and/or family that focus on the resident's needs.
- Level 3: Answer the following questions.
   CMS VIVE: <u>https://www.youtube.com/watch?v=Ereawm4\_F7k</u>
  - (a) What sections of MDS 3.0 must be completed by interview? Sections requiring completion by interview technique include C, D, F, and J. These sections are Cognitive Patterns (C), Mood (D), Preferences for Customary Routine and Activities (F), and Health Conditions (J).
  - (b) What are the advantages of using an interview format for gathering this data? Advantages are to improve assessment of resident in establishing higher quality of care to meet the resident's needs.
  - (c) How long do these interviews typically take, according to the training video? *The average time for interviews is approximately 17 minutes.*
  - (d) Describe some of the techniques suggested for the interview process.
     Techniques for the interview format include using external listening agent or amplifier, arranging a quiet private setting, establishing a good rapport and comfort with resident, establishing comfortable seating distance in front of the resident, assuring proper lighting, assuring comfortable room temperature, and ensuring clearly visible font Que Card when visual aids are used.

#### References

Centers for Medicare and Medicaid Services: https://www.cms.gov/ CFR-2011-title42-vol5.pdf

Long-Term Care Facility Resident Assessment Instrument 3.0 User's Manual Version 1.18.0 MDS-30-RAI-Manual-V114-October- 2020

Minimum Data Set (MDS)-Version 3.0 Resident Assessment and Care and Screening https://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/NursingHomeQualityInits/Downloads/Archive-Draft-of-the-MDS-30-Nursing-Home-Comprehensive-NC-Version-1140.pdf

MDS 3.0 Training https://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/NursingHomeQualityInits/NHQIMDS30TrainingMaterials MDS 3.0 Training Update: An interactive training video on Section M: Skin Conditions is now available under Related Links below and at:

http://surveyortraining.cms.hhs.gov/Courses/126/SectionMVideo/SectionMVideo.html.

# MDS 3.0 Training Update: An interactive training video on Section M: Skin Conditions is now available under Related Links below and at:

http://surveyortraining.cms.hhs.gov/Courses/126/SectionMVideo/SectionMVideo.html.

# A four-part video series on Section GG is available as a playlist on the CMS YouTube Channel. The playlist is available from the following link:

https://www.youtube.com/playlist?list=PLaV7m2-zFKpgYhG0FQv82l9dcqNl\_9eO4.

#### This four-part video series presents MDS 3.0 Section GG:

#### Part 1: MDS 3.0 Section GG, Functional Abilities and Goals: GG0130 Self-Care

- Intent of Section GG
- Look-back periods of each item
- Section GG coding scenarios

#### Part 2: MDS 3.0 Section GG, Functional Abilities and Goals: GG0130 Sections A-C

- Eating
- Oral Hygiene
- Toileting Hygiene
- 5-Day PPS Assessment
- Part A PPS Discharge Assessment
- 6-Point Scale
- Dash Usage

#### Part 3: MDS 3.0 Section GG, Functional Abilities and Goals: GG0170 Mobility Sections B-C

- Admission/Discharge Performance
- Goal identification
- Sit to lying. Lying to sitting on side of bed.
- Gateway questions or screening questions

#### Part 4: MDS 3.0 Section GG, Functional Abilities and Goals: GG0170 Mobility Sections D-S

- Transfers
- Ambulation
- Wheelchair/scooter use

# Data Collection for Joint Commission ORYX Performance Measures

### **Questions and Suggested Answers**

As the HIM manager, you initially plan to visit www.jointcommission.org and review literature published on the Joint Commission ORYX performance measures for comparable metrics. You are particularly interested in the current year.

Develop a report for the committee, with a brief introduction explaining what ORYX reporting requirements are, purpose of reporting, and method of reporting using eCQM data submission.

The ORYX performance measures are disease processes collected and reported to the Joint Commission by hospitals and critical care hospitals. The measures align as closely as possible as those required by the Center for Medicare and Medicaid Services (CMS). The ORYX measures are also used by the JC to integrate into the accreditation process.

The eCQM acronym stands for electronic clinical quality measure and is specified in a standard electronic format designed to use structured, encoded data present in the electronic health record. The eCQMs used by The Joint Commission are updated on an annual basis to account for changes in clinical evidence, measure logic, and coding updates. The eCQM utilizes a direct data submission platform for hospitals to extract and report select measures to the Joint Commission.

2. Develop a list of current year measures for reporting.

Students answers will change with applicable "current year" of course taught.

*Eight of the ten eCQMs offered by The Joint Commission for 2020 ORYX measure reporting are listed below. They are in alignment with CMS and utilize the same measure specifications. The ten eCQMs are:* 

- 1. eED-2 Admit Decision Time to ED Departure Time for Admitted Patients
- 2. ePC-01 Elective Delivery (retained)
- 3. ePC-02 Cesarean Birth (adopted as of 1/1/2020 discharges)
- 4. ePC-05 Exclusive Breast Milk Feeding
- 5. eSTK-2 Discharged on Antithrombotic Therapy
- 6. eSTK-3 Anticoagulation Therapy for Atrial Fibrillation/Flutter
- 7. eSTK-5 Antithrombotic Therapy by End of Hospital Day Two
- 8. eSTK-6 Discharged on Statin Medication
- 9. eVTE-1 Venous Thromboembolism Prophylaxis
- 10. eVTE-2 Intensive Care Unit Venous Thromboembolism Prophylaxis
- 3. Summarize the report with recommendation whether you feel your organization should adopt eCQM reporting and why. Include online reference sources, including working links to literature to support development of the committee report.

Answers will vary among the students.

#### Reference

Joint Commission (n.d. 8) Joint Commission (n.d. 9)

# Birth Certificate Reporting Project

### **Questions and Suggested Answers**

*Use the information in the interview with the mother and abstract information from the obstetric record to complete the birth certificate form shown in Figure 1-8.* 

### References

Bowie Oachs and Watters Sayles and Gordon

C H I L D         1         1         2         TME GF BRH1         2         2         ALE OF BRH1 (MODE)N'           M OT H E R         3         AMERT MARE (First Mass, Las, Suña)         5         CITY, TOM OR LOCATION OF BRT1         7         CUUTY OF BRT1         7	LOCAL FILE NO.							BIR	TH NUMBER	2:			
MOTHER         MOTHERS (Sever)         Control (Sever)           R. MOTHERS ANME PROFID FIRST MARRINGE (Pret Made Late Suff)         0: DATE OF BRHT MANDay'N           B. MOTHERS ANME PROFID FIRST MARRINGE (Pret Made Late Suff)         0: DATE OF BRHT MANDay'N           B. RESIDENCE OF MOTHERSTATE         0: OUNTY           CERTIFIER         1: CENTIFIER ANNE:           TTHE R. RESIDENCE OF MOTHERSTATE         0: OUNTRY           D. DETERSTATE         0: OUNTRY           D. MOTHER RESIDENCE         DETERMENTION FOR ADMINIT           State of the RESIDENCE         DETERMENTION FOR ADMINIT           D. MOTHER RESIDENCE         DETERMENTION FOR ADMINIT           D. MOTHER RESIDENCE         DETERMENTION FOR ADMINIT           D. MOTHER RESIDENCE         DETERMENTION FOR ADMINISTRATE DESE           D. MOTHER RESIDENCE         DETERMENTION FOR ADMINISTRATE DESE           D. MOTHER RESIDENCE         DETERMENTION FO	СНІГО	1. CHILD'S NAME (First, Middle, Last, Suffix)	2										
IN O T H E R   In OTHERS MARE PROR TO FRST MARRIAGE (First Machine Last Suffix)   In Residence of Monteersstate   In Residence of Monteersstate   In Residence of Monteersstate   In Carterians and the set of t		5. FACILITY NAME (If not institution, give street and no	umber)	OR LOCA	ATION OF BIRTH 7. COUNTY OF BIRTH				RTH				
An READERCE OF MOTHER-BITTE     A DOUBLE ADDRESS     ADDRESS	MOTHER	8a. MOTHER'S CURRENT LEGAL NAME (First, M	8b. DATE	ATE OF BIRTH (Mo/Day/Yr)									
Bit       STREET AND NUMBER       Se APT IND       SF ZP CODE       Se APT IND       SF ZP CODE       Se APT IND         F A T H E R       De FATHERS CLIREENT LEGAL NAME (Friet Massa Lase Sum)       100. DATE OF BRTH JACOVEY       100. BRTHFLACE (Sam, Tentay, or Frienge Country)         CERTIFIER       T1: CENTIFIERS NAME       T1: CENTIFIERS NAME       100. DATE OF BRTHFLACE (Sam, Tentay, or Frienge Country)         MO T H E R       14. MOTHERS MALKED ADDRESS DY APM INCOMENT OF RECOMMENTATIVE USE       12. DATE OF BRTHFLACE (Sam, Tentay, or Frienge Country)         MO T H E R       14. MOTHERS MALKED ADDRESS DY APM INCOMENT OF RECOMMENTATIVE USE       12. DATE OF BRTHFLACE (Sam, Tentay, or Frienge Country)         INFORMATION FOR CAMPACTURE       13. DATE FLED APM REGISTION       13. DATE FLED APM REGISTION         INFORMATION FOR CAMPACTURE       14. MOTHERS MALKED ADDRESS DY APM INCOMENTATIVE USE       14. MOTHERS MALKED ADDRESS DY APM INCOMENTATIVE USE         INFORMATION FOR CAMPACTURE       14. MOTHERS MALKED ADDRESS DY APM INCOMENTATIVE USE       15. ADDRESS DY APM INCOMENTATION FOR CAMPACTURE         INFORMATION FOR CAMPACTURE       14. MOTHERS MALKED ADDRESS DY APM INCOMENTATION FOR CAMPACTURE       16. ADDRESS DY APM INCOMENTATION FOR CAMPACTURE         INFORMATION FOR CAMPACTURE       14. MOTHERS MALKED ADDRESS DY APM INCOMENTATION FOR CAMPACTURE       16. ADDRESS DY APM INCOMENTATION FOR CAMPACTURE         INFORMATION FOR CAMPACTURE RECOMPLICANCE       16. ADDRESS DY APM INCO		8c. MOTHER'S NAME PRIOR TO FIRST MARRIA	8c. MOTHER'S NAME PRIOR TO FIRST MARRIAGE (First, Middle, Last, Suffix) 8d.						BIRTHPLACE (State, Territory, or Foreign Country)				
Contract of the second se		9a. RESIDENCE OF MOTHER-STATE 9b. C	COUNTY		9c. Cl'	CITY, TOWN, OR LOCATION							
A T H E K         CERTIFIER       TH_CERTIFIERS         THE MODEL OF CONSTRAL ADMIN       ONACM         OTHER (Spectry)		9d. STREET AND NUMBER		T. NO.	LIMITS?				LIMITS?				
Very         Intel = ND         DO         DO         DO         DO         MM         DD         YYYY           MOTHER         0         NOTHER (specify)	FATHER	10a. FATHER'S CURRENT LEGAL NAME (First, N	/iddle, Last, Suffix)	10b. DATE OF B	IRTH (Mo/	Day/Yr)	10c. BIR	THPLACE	(State, Territ	ory, or Foreign Country)			
MOTHER       14. MOTHERS MULIKO ADDRESS       Same as residunce. c:       State       C():       Tom: or Location:         44. MOTHERS MULIKO ADDRESS       9 Same as residunce. c:       State       C():       Administry       Zp Code         15. MOTHER MARRED? (Ab bits, conception, or any time between)       :::       No. 14.5       Administry       16. BOCIALS SECURY NUMBER       Tr. FACULTY ID (NP);         16. MOTHERS SOLUCE SCIENT NUMBER       ::       No. 14.5       Administry       No. 14.5       N	CERTIFIER	TITLE: MD DO DO HOSPITAL ADMIN.							////				
NOT FIER       Street & Number       Apartment No:       Zp Code         15 Not THER NARREET (2) ALD STU, conception, or any time between)       15 Not THE NARREET (2) ALD STU, conception, or any time between)       15 Not THE NARREET (2) ALD STU, conception, or any time between)       15 Not THE NARREET (2) ALD STU, conception, or any time between)       15 Not THE NARREET (2) ALD STU, conception, or any time between)       15 Not THE NARREET (2) ALD STU, conception, or any time between)       15 Not THE NARREET (2) ALD STU, conception, or any time between)       15 Not THE NARREET (2) ALD STU, conception, or any time between)       17 Not THE NARREET (2) ALD STU, conception, or any time between)       17 Not THE NARREET (2) ALD STU, conception, or any time between)       17 Not THE NARREET (2) ALD STU, conception, or any time between)       17 Not THE NARREET (2) ALD STU, conception, or any time between)       17 Not THE NARREET (2) ALD STU, conception, or any time between)       17 Not THE NARREET (2) ALD STU, conception, or any time between)       17 Not THE NARREET (2) ALD STU, conception, or any time between)       17 Not THE NARREET (2) ALD STU, conception, or any time between)       17 Not THE NARREET (2) ALD STU, conception, or any time between)       17 Not THE NARREET (2) ALD STU, conception, or any time between)       17 Not THE NARREET (2) ALD STU, conception, or any time between)       17 Not THE NARREET (2) ALD STU, conception, or any time between)       17 Not THE NARREET (2) ALD STU, conception, or any time between)       17 Not THE NARREET (2) ALD STU, conception, or any time between)       17 Not THE NARREET (2) ALD STU, conception, or any time between)       17 Not THE NAREET (2) ALD STU, conception, or an		I	FORMATION FOR ADMINIST	RATIVE USE									
15. MOTHER MARRIED? (A. bith, conception, or any time between) Proc. Mail Science (Conception) (A. bith, conception, or any time between) Proc. Mail Science (Conception) (A. bith, conception, or any time between) Proc. Mail Science (Conception) (A. bith, conception, or any time between) Proc. Mail Science (Conception) (A. bith, conception, or any time between) Proc. Mail Science (Conception) (A. bith, conception, or any time between) Proc. Mail Science (Conception) (A. bith, conception) (A. bith, conceptice) (A. bith, conception) (A. bith, conception) (A. b	MOTHER		s residence, or: State:					on:		Zio Code:			
18. MOTHER'S SOCIAL SECURITY NUMBER     19. FATHER'S SOCIAL SECURITY NUMBER     10. MOTHER'S SOCIAL SECURITY SOCIAL SECURITY NUMBER     10. MOTHER'S SOCIAL SECUR		15. MOTHER MARRIED? (At birth, conception, or an				DCIAL SEC	URITY NU		QUESTED	-			
MOTHER       20. MOTHERS EDUCATION (Check the burglest degree of level of school completed at the burglest degree of level of school completed at the degree of level of school completed at the degree of level school completed at the degree of level of school completed at the degree of level school completed at the degree of			T BEEN SIGNED IN THE HOSPITA										
Purpose       box that best describes the highest degree (rely of school completed at the time of delivery)       the box that best describes whether the 'No' box if father is Spanish/HispaniC.tatino. Check the 'No' box if father is Spanish/HispaniC.tatino       what the father considers himself to be)         9       Bth grade or less       9 th - 12th grade, no diploma       he box that best describes whether the 'No' box if father is Spanish/HispaniC.tatino       White       Black or African American         High school graduate or GED completed       9th - 12th grade, no diploma       High school graduate or GED       Yes, Outban       Yes, Outban       Chinese         Yes, Outban       Some college credit but no degree       Associate degree (e.g., AA, AS)       Second (gene (e.g., AA, AS)       Second (gene (e.g., AA, AS)         Bachelor's degree (e.g., MA, MS, MEng, MEd, MSV, MBA)       Decktoris (e.g., Dh, DLB), DVM, LLB, JD)       Yes, other Spanish/Hispanic/Latino       Guamanian or Chamoro         Samoan       Other Asian (Specify)       Samoan       Other Asian (Specify)       Net: Hawaiian         Outer Asian (Specify)       Docktorie (e.g., Dh, DDS, DVM, LLB, JD)       27. ATTENDANT'S NAME, TITLE, AND NPI       MEDICAL OR FETAL INDICATIONS FOR DELWERT?       28. MOTHER TRANSFERRED FOR MATERNAL MEELWERT MATERNAL OF FACILITY MOTHER         Professional degree (e.g., MA, C, MEDICAL OR Stress of the obliver at home?? 9 Yes 9 No       Clinic/Doctor's office       Other (Specify)	MOTHER	<ul> <li>box that best describes the highest degree or level of school completed at the time of delivery)</li> <li>8th grade or less</li> <li>9th - 12th grade, no diploma</li> <li>High school graduate or GED completed</li> <li>Some college credit but no degree</li> <li>Associate degree (e.g., AA, AS)</li> <li>Bachelor's degree (e.g., MA, MS, MEng, MEd, MSW, MBA)</li> <li>Doctorate (e.g., PhD, EdD) or Professional degree (e.g., MD, DDS, DVM, LLB, JD)</li> </ul>	the box that best describes ; mother is Spanish/Hispanic/ "No" box if mother is not Sp No, not Spanish/Hispanic/L Yes, Mexican, Mexican Am Yes, Puerto Rican Yes, Cuban Yes, Other Spanish/Hispani (Specify)	whether the Latina. Check the anish/Hispanic/Lat atina erican, Chicana c/Latina	tina)	what ti White Black Ameri (Nami Asian Chines Filipinc Filipinc Filipinc Vietna Other Native Guam Samoa Other Other	ne mother or African can Indiar of the er Indian se b asse h mese Asian (Spi Hawaiian anian or C an Pacific Isla (Specify)_	considers I American n or Alaska irolled or pri ecify) hamorro ander (Spec	herself to b Native incipal tribe)	e) 			
26. PLACE WHERE BIRTH OCCURRED (Check one)       27. ATTENDANT'S NAME, TITLE, AND NPI       28. MOTHER TRANSFERRED FOR MATERNAL         Hospital       Freestanding birthing center       NAME: NPI:       DELIVERY? □ Yes □ No         Home Birth: Planned to deliver at home? 9 Yes 9 No       TITLE: □ MD □ DO □ CNM/CM □ OTHER MIDWIFE       DELIVERY? □ Yes □ No         Other (Specify)	dical Record	<ul> <li>box that best describes the highest degree or level of school completed at the time of delivery)</li> <li>8th grade or less</li> <li>9th - 12th grade, no diploma</li> <li>High school graduate or GED completed</li> <li>Some college credit but no degree</li> <li>Associate degree (e.g., AA, AS)</li> <li>Bachelor's degree (e.g., MA, MS, MEng, MEd, MSW, MBA)</li> <li>Doctorate (e.g., PhD, EdD) or Professional degree (e.g., MD, MS, MES)</li> </ul>	the box that best describes ' father is Spanish/Hispanic/L "No" box if father is not Spa No, not Spanish/Hispanic/L Yes, Mexican, Mexican Am Yes, Puerto Rican Yes, Cuban Yes, other Spanish/Hispani	whether the atino. Check the nish/Hispanic/Latir atino erican, Chicano		what the White Black Black Marrier Marrier Marrier Marrier Asiane Chines Filiping Asiane Korear Other Asiane Other Guama Other Samoo Chines Samoo Other I	e father or African can Indiar e of the er Indian se o ses n mese Asian (Spr Hawaiian anian or C an Pacific Isla	considers h American n or Alaska l rolled or pri ecify) hamorro ander (Spec	imself to be Native Incipal tribe)	)			
REV 11/2003	REV. 11/2003	Hospital     Freestanding birthing center     Home Birth: Planned to deliver at home? 9 Yes     Clinic/Doctor's office	NAME: 9 No TITLE: _ MD _ DO _	NPI:			MEDI DELIV	CAL OR FE /ERY? □ ` S, ENTER N	TAL INDICA Yes 🗆 No NAME OF F.	TIONS FOR			

U.S. STANDARD CERTIFICATE OF LIVE BIRTH



#### 22 Section 1 Data Content, Structure, Standards, and Information Governance

MOTHER	29a. DATE OF FIR		RE VISIT lo Prenatal Care	29b. DATE O	F LAST PREI // D D	VATAL CARE VISIT	30. TOTAL NUN	IBER OF PRENATA	AL VISITS FOR THIS PREGNAN			
	M M D D 31. MOTHER'S HEI		32 MOTHER'S PR					34 DID MOTHER	(If none, enter A0".) GET WIC FOOD FOR HERSEL			
	(feet	/inches)	(	oounds)		(pound	s)	DURING THIS	SPREGNANCY?  Ves  No			
	this child) (spontaneous		OUTCOMES or induced bic pregnancies)	37. CIGARETTE SMOKING BEFORE AND DURIN For each time period. enter either the number number of packs of cigarettes smoked. IF NO Average number of cigarettes or packs of cigarett # of cigarette Three Months Before Pregnancy		of cigarettes or the NRE, ENTER A0'. tets smoked per day. s # of packs ORStrapy.						
	None	None	□ None		First Three Months of Pregnancy Second Three Months of Pregnancy Third Trimester of Pregnancy			OR Other OR Other (Specify)				
	35c. DATE OF LAS	T LIVE BIRTH	36b. DATE OF LA PREGNANC' ///////_		39. DATE M M	LAST NORMAL MEN		BEGAN 40. MOTHER'S MEDICAL RECORD NUI				
MEDICAL	41. RISK FACTORS				RIC PROCE	OURES (Check all tha	t apply)	46. METHOD OF	DELIVERY			
AND HEALTH IFORMATION	Diabetes Prepregnance Gestational Hypertension Prepregnance		pregnancy)	Cervical Tocolysis External cep Succes Failed	s ohalic version			A. Was delivery with forceps attempted but unsuccessful? □ Yes □ No B. Was delivery with vacuum extraction attem but unsuccessful?				
	<ul> <li>Gestational</li> <li>Eclampsia</li> </ul>	(PIH, preeclampsia)	)	None of	the above			□ Yes □				
	Previous pretern	n birth				Check all that apply)		C. Fetal presenta	ation at birth			
			omo (Includes		-	heck all that apply) he Membranes (prolo		<ul> <li>Breech</li> <li>Other</li> </ul>				
	perinatal death, growth restricted	,	I age/intrauterine		e Rupture of t is Labor (<3 h	u	nged,≥12 hrs.)	D. Final route and method of delivery (Check				
	<ul> <li>Pregnancy resulted from infertility treatment-If yes, check all that apply:</li> <li>Fertility-enhancing drugs, Artificial insemination Intrauterine insemination</li> </ul>				<ul> <li>Prolonged Labor (≥20 hrs.)</li> <li>None of the above</li> </ul>				<ul> <li>Vaginal/Forceps</li> <li>Vaginal/Vacuum</li> <li>Cesarean</li> <li>If cesarean, was a trial of labor attempted</li> </ul>			
	<ul> <li>Assisted rep</li> </ul>	roductive technolog VF), gamete intrafal		45. CHARACT	CERISTICS C (Check all t	F LABOR AND DELIN nat apply)	/ERY	Costination was a that of labor attempts     Ves     No     A7. MATERNAL MORBIDITY (Check all that a				
Mother had a previous cesarean delivery If yes, how many      None of the above     42. INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY (Check all that apply) Gonorrhea     Syphilis     Chiamydia     Hepatitis B     Hepatitis C     None of the above		<ul> <li>Induction of labor</li> <li>Augmentation of labor</li> <li>Non-vertex presentation</li> <li>Steroids (glucocorticoids) for fetal lung maturation received by the mother prior to delivery</li> <li>Antibiotics received by the mother during labor</li> <li>Clinical choricamrionitis diagnosed during labor or maternal temperature ≥38°C (100.4°F)</li> <li>Moderate/heavy meconium staining of the anniotic fluid</li> <li>Fetal intolerance of labor such that one or more of the following actions was taken: in-utero resuscitative measures, further fetal assessment, or operative delivery</li> <li>Epidural or spinal anesthesia during labor</li> <li>None of the above</li> </ul>				(Complications associated with labor and delivery) Maternal transfusion Third or fourth degree perineal laceration Ruptured uterus Unplanned hysterectomy Admission to intensive care unit Unplanned operating room procedure following delivery None of the above						
IEWBORN	48. NEWBORN ME	DICAL RECORD NU	JMBER 54.			OF THE NEWBORN	55. CO	NGENITAL ANOMA (Check all th	LIES OF THE NEWBORN			
	49. BIRTHWEIGHT	(grams preferred, s	pecify unit)	Assisted ventila		immediately		encephaly ningomyelocele/Spir	na bifida			
	9 grams	9 lb/oz STIMATE OF GEST/	ATION: eks)	following delive Assisted ventila six hours NICU admission Newborn given	tion required		Cya Cor Om Gas Lim	Vermitg-only fetocelers/pina bind a Congenital diaphragmatic hernia Omphalocele Sastroschisis _imb reduction defect (excluding congenital amputation and dwarfing syndromes) Dieft Lip with or without Cleft Palate				
	51. APGAR SCORE			therapy Antibiotics rece	ived by the ne		Cle	ft Palate alone vn Syndrome Karyotype confirme Karyotype pending	ed			
g	Score at 5 minutes: If 5 minute score	is less than 6,		suspected neor	iatar oopoio	□ Seizure or serious neurologic dysfunction         □ Suspected chromosomal dis           □ Significant birth injury (skeletal fracture(s), peripheral nerve injury, and/or soft tissue/solid organ hemorrhage which requires intervention)         □ Suspected chromosomal dis						
dical Record	Score at 5 minutes:	is less than 6, :: ngle, Twin, Triplet, e	tc.	Seizure or serio Significant birth nerve injury, ar	injury (skelet	al fracture(s), peripher ue/solid organ hemorr	al DHy	Karyotype confirme Karyotype pending pospadias	ed J			
Mother's Medical Record No.	Score at 5 minutes If 5 minute score Score at 10 minutes 52. PLURALITY - Sii (Specify) 53. IF NOT SINGLE	is less than 6, .:	tc.	Seizure or serio Significant birth nerve injury, at which requires None of the abov	injury (skelet nd/or soft tiss intervention) ve	al fracture(s), peripher ue/solid organ hemorr	al ⊡ Hy hage ⊡ No	Karyotype confirme Karyotype pending pospadias ne of the anomalies	ed J			

FIGURE 1-8 Manual Birth Certificate (continued)

### **Clinical Coding Systems and Technology**

### **Questions and Suggested Answers**

1. Compare and contrast how the NLP and CAC might be used differently.

The coder role will review the accuracy of the code for validation in either the NLP or CAC. Both categories of technology could be used to improve accuracy and consistency of code assignments. They also reduce the risk of fraud with the Office of Inspector General (OIG) from erroneous code assignments.

Student responses will differ. There is an understanding that natural language processing (NLP) technology uses complex algorithms that read data already entered into an electronic health record (EHR) to assign the codes automatically. The NLP uses computational linguistics, including linguistics, semantics, and computer science, whereas the CAC provides technological assistance in proper assignment of codes. The CAC system provides software that will automatically assign a set of medical codes. Proper technology and training of staff will be necessary for each coding system to apply to each of the different coding systems used.

2. Recommend in summation your analysis to state which technology you feel is most advantageous and why. Include the reference sources utilized in your analysis.

The students' summaries will vary depending on which system they feel is more advantageous.

### References

American Health Information Management Association (AHIMA) (July 2010) Amatayakul Oachs and Watters Sayles and Gordon

### Text Messaging of ePHI

#### **Questions and Suggested Answers**

1. Develop a report to present next month to the committee.

Each student's response will differ but should reflect an introductory paragraph on the purpose of the report and regulatory requirements of texting ePHI, inclusive of Joint Commission and HIPAA legislation. In addition, a reflection of current best practice, cell phone usage by clinicians regarding ePHI in hospital settings, should be given. The student's reference source used should be provided to support response given.

2. Propose a policy and procedure to be considered by the committee. You should use the policy and procedure form from Figure 1-9 for Port Bismarck Hospital.

Have students use the policy and procedure form from Figure 1-9 for Port Bismarck Hospital to create their texting of ePHI policy and procedures.

#### References

AHIMA (2012) Gellert, G. HIPAA Journal

### Joint Commission Mock Survey

### **Questions and Suggested Answers**

Create an outline of suggestions to present at the next Mock Joint Commission Survey team meeting. I. Some suggested activities for a mock on-site survey include:

- The format of an actual on-site survey will be structured to include the following bullet points. The mock survey could be formatted to simulate the entire survey process with these key components. However, the opening conference and leadership session would involve various management staff inclusive of the c-suite and departmental directors.
  - An initial survey planning session
  - Opening conference and orientation
  - Leadership session
  - System/individual tracers conducted
  - Competence assessment process
  - Building tour and environment of care session
  - Exit conference
  - A. **Patient (aka individual) tracers** could be conducted from different points of care for selected patients.
    - The surveyor might pick up a patient in the emergency department and follow the care and treatment forward through the care process.
    - A similar patient tracer could be conducted of a patient selected after his or her episode of care has begun whereby he or she is already placed in a patient room, so the care is traced backward through the care process. Remember that selected cases often are based on the organization's most represented patient population and data collected via ORYX<sup>™</sup> core measure reporting.
    - Another patient tracer may be by surveyor asking you to navigate a patient's EHR to trace the patient's care via associated documentation. The surveyor will be asked to show the documentation in the EHR to support the orders, assessment, etc.
  - *B.* The administrator surveyor could give the HIM director the **Medical Records Statistic Report** to complete the past 12 months of delinquent record statistics.
  - *C.* A **system tracer** could be performed on the medication administration system whereby the surveyor observes and interviews staff in their performance of entering orders into the medications order entry information system; the pharmacy's receipt and dispensing of the order; and the medication nurse during the administration of the medications. Another system tracer may include an infection control tracer.

The Communication of **National Patient Safety Goals** (NPSGs) could be surveyed through a review of in-house patient records to validate that there have not been unacceptable abbreviations, acronyms, or symbols documented in the patient records. Additional elements can be reviewed to ascertain that verbal orders (VOs) and reporting of critical test results reflect that the authorized transcriber (i.e., nurse, therapist) is being documented, and the care provider (transcribed) heard and "read back" the complete order or test result accurately and that it is documented accordingly in the patient record.

### References

Joint Commission (n.d.3)

https://www.jointcommissioninternational.org/pathway/jci2015/documents/How\_to\_Conduct\_a\_Mock \_Tracer.pdf

Joint Commission (n.d. 4) https://www.jointcommission.org/-/media/tjc/documents/accred-and-cert/survey-process-and-surveyactivity-guide/2020-all-programs-organization-sag.pdf

McWay Sayles and Gordon

### Authentication of Patient Record Documentation

### **Questions and Suggested Answers**

Students should research the topic for Joint Commission authentication requirements of medical record documentation to report to the Accreditation Committee Meeting and the Federal Register COP for Medical Record Services.

The student response may include that all medical reports in the patient record require completion with authentication. The time frame will differ by report in order to meet JC and COP requirements. However, all orders, including verbal orders, must be legible, dated, timed, and authenticated by the ordering physician or another practitioner responsible for the care of the patient and who is authorized to write orders by policy in accordance with their state law. In the absence of a state law designation of an authentication time frame, all verbal orders must be authenticated within 48 hours.

Federal and state laws specify how an electronic authentication is acceptable via a computer-generated code.

### References

Electronic Code of Federal Regulations, Title 42, Sec 482.24 Joint Commission (n.d. 4)

Copy and Paste in the EHR

### **Questions and Suggested Answers**

Create an essay of your literature findings including advantages, disadvantages, and best practices when copy and paste function is enabled for clinician to use in a hospital EHR system. Give references in APA format on the last page of your essay.

Conclude your essay with a summary paragraph justifying your opinion whether copy and paste should be allowed in a hospital EHR system.

The students' essays will vary but should reflect best practices found from research (AHIMA BoK) on copy and paste use within the EHR. Essays should include that an organizational policy should exist on the appropriate and inappropriate use of copy and paste for the organization's specific EHR system. It should include a training program for clinicians on the EHR system and if the organization's policy limits on which document data elements that copy/paste function will be allowed. The organization should also develop an audit policy reflecting how often audits will be performed, percentage of records or clinicians to be reviewed, how inappropriate use will be identified, and how identified offenders will be reported. The policy should include what and when sanctions are to be enforced for inappropriate use of the copy and paste function within the patient records. The essay should include references of three peerreviewed articles with one being on best practices of copy and paste functionality.

#### Reference

Joint Commission (n.d. 4) AHIMA Toolkit (2016 Update). Copy Functionality Toolkit

### Case Finding for Tumor Registry

#### **Questions and Suggested Answers**

What are your sources for obtaining the information to compile a list?

Diagnosis registries are used for the "case definition" process to screen all bladder and colon cancer code ranges from the ICD-9 or ICD-10 code systems. The applicable code system would be based on the time period the COO is requesting cases from. Should the period overlap during transition of ICD-9 to ICD-10 code system, GEMs mapping may be used as a crosswalk to find appropriate cancers. After the case definition has been identified for applicable code ranges, the data must be extracted through "case finding" of patients seen and treated at the county hospital via outpatient and inpatient services. The report should be developed in a spreadsheet to include demographic identifier fields of resident zip code, city, and county origins to allow various means of manipulating and reporting data. Also, cases may be identified through a review of pathology reports completed during the six months requested.

#### References

### Face Validity of QI Study on Births

#### **Questions and Suggested Answers**

- Determine how many patients are primigravida.
   Four reflected having first (G) gravida pregnancy.
- 2. Evaluate the number of total pregnancies of these 17 patients. *Total of 42 reflected pregnancies.*
- How many full-term births are reported?
   There were 18 reflected (T) term births.
- How many premature births are reported?
   There were four reflected (P) para preterm births.
- How many aborted pregnancies are reported?
   There were four reflected (A) aborted pregnancies.
- How many living children are reported?
   There were 20 reflected (L) living children.

#### References

### **Reproductive History Interpretation**

### **Questions and Suggested Answers**

Explain patient reproductive histories at the time of their admission.

*MR* # 050309—The patient's reproductive history reflects GTPAL of 2-1-0-0-1, implying she has experienced two pregnancies, carried one full-term birth, had no preterm births, had no abortions, and has one living child as of her July admission.

*MR#* 047738—The patient's reproductive history reflects GTPAL of 4-2-1-0-2, implying she has experienced four pregnancies, carried two full-term births, had one preterm birth, had no abortions, and has two living children as of her July admission.

*MR#* 050185—The patient's reproductive history reflects GTPAL of 2-1-0-1-0, implying she has experienced two pregnancies, carried one full-term birth, had no preterm births, had one abortion, and has no living children as of her July admission.

### References

### **Extract Pertinent Inpatient Medical Documentation**

### **Questions and Suggested Answers**

- 1. Patient demographic data—*Registration Record (aka face sheet)*
- 2. Evidence that the patient was informed of benefits, risks, and alternatives prior to a particular surgery—*Informed Consent*
- 3. Reason for admission and review of body systems—History & Physical
- 4. An evaluation of patient prior to induction of anesthesia—Preanesthesia Evaluation
- 5. Chest radiology interpretation—Radiology Report (aka x-ray)
- 6. Name of surgeon and assistant surgeon, and estimated blood loss—Operative Report
- 7. Family and social history—*History*
- 8. CBC and urinalysis test results—Laboratory Reports
- 9. Course of events throughout hospital stay—*Discharge Summary (aka Death Summary in event of death)*
- 10. Vital signs; fluid input and urine output—*Graphics or Flow sheets*
- 11. Chronological entries made about patient's condition by nurses—*Nurses Progress Notes*
- 12. Chronological entries made about patient's condition by physician—*Physician Progress Notes*
- 13. Patient's blood type and Rh factor—*Blood Type and Crosshatch Report*
- 14. Discharge diagnosis and discharge instructions with follow-up care—Discharge Summary
- 15. Date, time, name of drug, drug dose, and route of administration—*Medication Administration Record*
- 16. Name of person designated by patient to make healthcare decisions should patient become incapacitated—*perhaps by having a Healthcare Proxy or Durable Power of Attorney for Healthcare*

#### References

### Choosing a Personal Health Record

### **Questions and Suggested Answers**

- 1. Identify benefits you would expect to encounter when you implement your PHR. *This depends on the system, but some expected responses would be the following:* 
  - Internet accessibility
  - Improvement in quality of care
  - Accessibility in the event of a disaster
  - 24/7/365 accessibility
- 2. Recommend other information you might want to know. *The students could come up with some of the following questions:* 
  - Who is the provider of the PHR?
  - Is the PHR comprehensive?
  - Who owns the PHR?
  - Is the information portable?
  - How is the information populated?

### References

American Health Information Management Association (AHIMA) (2016) American Health Information Management Association (AHIMA) (n.d. 2) Sayles and Gordon McWay

### Personal Health Record Education

### **Questions and Suggested Answers**

Create the PHR information sheet.

The student is to write a one-page information sheet that defines the PHR, explains the benefits of the PHR/patient portal, and tells about the PHR that your facility is offering. With the PHR, patients will have access to test results, key clinical findings, and a secure e-mail to communicate with their doctors.

#### Reference

Amatayakul American Health Information Management Association (AHIMA) (n.d. 2) AHIMA (2016) Sayles and Gordon McWay

### **Clinical Vocabularies**

#### **Questions and Suggested Answers**

You have been hearing the subject of clinical vocabularies discussed frequently at several meetings. Since the concept will impact the HIM department of your ambulatory surgical center, you recognize the need to research the subject more thoroughly to be able to articulate the needs not only of your department but also of the facility in general.

Definition of a clinical vocabulary:

In a clinical vocabulary, each term must correspond to at least one meaning, have no more than one meaning, and meanings correspond to no more than one term, though synonyms are allowed. In essence, a concept is a specific idea or thought.

1. What vocabularies do you have to choose from?

СРТ
ICD-10-CM
LOINC
SNOMED CT

2. What are the functions of each of these vocabularies?

**CPT** (Current Procedural Terminology) is a medical **code** set that is used to report medical, surgical, and diagnostic procedures and services to entities such as physicians, health insurance companies, and accreditation organizations.

#### ICD-10-CM/PCS

**ICD-10CM** is the code set for diagnosis coding and is used for all healthcare settings in the United States.

*ICD-10PCS*, on the other hand, is used in hospital inpatient settings for inpatient procedure coding.

**ICD-10-CM** (The International Classification of Diseases, Tenth Revision, Clinical Modification) is a system used by physicians and other healthcare providers to classify and code all diagnoses, symptoms, and procedures recorded in conjunction with healthcare in the United States.

**ICD-10-PCS** (The International Classification of Disease, Tenth Revision, Procedure Coding System) is a system of medical classification used for procedural codes that track various health interventions taken by medical professionals.

**LOINC** (Logical Observation Identifiers Names and Codes) was developed to provide a definitive standard for identifying clinical information in electronic reports. The LOINC database provides a set of universal names and ID codes for identifying laboratory and clinical test results in the context of existing HL7, ASTM E1238, and CEN TC251 observation report messages. One of the main goals of LOINC is to facilitate the exchange and pooling of results for clinical care, outcomes management, and research. LOINC codes are intended to identify the test result or clinical observation. Other fields in the message can transmit the identity of the source laboratory and special details about the sample.

**SNOMED CT** (Systematized Nomenclature of Medicine Clinical Terms) was developed mainly to encode the clinical data in a patient record. It is available for use in the United States via licensing by the National Library of Medicine (NLM) for country-wide use. It is also used by many other countries and is managed by the International Health Terminology Standards Development Organization (IHTSDO). Because of its clinical focus, it is considered a useful standard for encoding clinical data sent between systems or organizations. It is a terminology that can cross-map to other international terminologies, classifications, and code systems. The purpose of mapping is to provide a link between one international terminology, classification, and code system and another to obtain a number of benefits.

SNOMED CT specification and content provide guidance when mapping to and from other international terminologies, classifications, and code systems. These resources support the creation of simple, complex, and extended mappings.

These include:

- Data reuse, that is, SNOMED CT-based clinical data can be reused to report statistical and management data using other terminologies, classifications, and code systems
- Retention of the value of data when migrating to newer database formats and schemas
- Avoidance of entering data multiple times and the associated risk of increased cost and errors
- Interoperability among international terminologies, classifications, and code systems
- 3. Is the vocabulary appropriate for your setting and purposes?

ICD-10-CM CPT

4. Base on your description, which vocabulary or vocabularies would you choose? Justify your decisions.

ICD-10-CM will be used by physicians and other healthcare providers to classify and code all diagnoses, symptoms, and procedures recorded in conjunction with healthcare in the United States.

CPT will be used to report medical, surgical, and diagnostic procedures and services to entities such as physicians, health insurance companies, and accreditation organizations.

#### Reference

AHIMA (2016) Oachs and Watters Sayles and Gordon

### **Clinical Documentation Improvement Meeting**

### **Questions and Suggested Answers**

1. After review of the AHIMA toolkit, briefly identify why SLHS needs a formal CDI program. Support this with literature and benefits to be gained. You might be creative in developing scenario of hospital or health system status to substantiate your response.

Students answers will vary. After a review of AHIMA CDI Toolkit, the responses might include:

- Improve clinical documentation in EHR to support CCs and MCCs for appropriate MS-DRGs assigned.
- Improve clinical documentation in EHR to support severity of Illness (SOI) and risk of mortality (ROM) reported accurately.
- Improve communication among physicians and others of healthcare team.
- Promote health record completion concurrently during care, promoting patient safety.
- Promote awareness and education during patient's care.
- Improve coders clinical knowledge.
- Improved patient outcomes.
- 2. List who project stakeholders should be to sit on the CDI Implementation project team. Support each job title/role with reason they are appropriate.

HIM Director, Coding Manager, Case Manager, Physician Liaison (i.e., Chief of Surgery/Chief of Medicine), IT Staff, Financial Manager, Revenue Cycle Manager, Executive from C-Suite (i.e., CFO/COO), Nursing, Quality/Risk or Compliance Officer.

3. Identify key systems in a successful CDI program and whether you feel SLHS upgrades or additions are needed to have a successful implementation.

Systems critical to effective CDI might not only be a CDI system. They may also include an integrated EHR, Computer Assisted Coding (CAC) system, and integrated ADT system in tracking patients.

### Reference

Oachs and Watters Sayles and Gordon

### Breaking Down Classification Systems and Clinical Terminologies

Read the referenced articles and your class textbook on the subject before answering the following questions.

- SNOMED-CT and the EHR: Why Should a HIM Professional Care? (2018)
- Clinical Terminology and Clinical Classification Systems: A Critique Using AHIMAs Data Quality Management Model (2016)

#### **Questions and Suggested Answers**

1. Define clinical classification.

A clinical vocabulary, terminology, or nomenclature that lists words or phrases with their meanings and provides for proper use of clinical words as names or symbols.

2. Explain how clinical classification is used in a healthcare organization.

Students might say coders use ICD-10-CM and ICD-10-PCS classification systems for coding inpatient diagnoses and procedures. CPT is used in coding outpatient procedures or physician office visits.

3. Define clinical vocabulary.

A formally recognized list of preferred medical terms. It is similar to clinical terminology, except it includes the meanings or definitions of words.

4. Provide an example how clinical vocabulary can be used in a healthcare organization.

Student responses will vary. Some examples might include Logical Observation Identifiers Names and Codes (LOINC) exchange standard used by the clinical laboratory for reporting lab test results. RxNorm is a standardized nomenclature used for clinical drugs and provides information on ingredients, strengths, and form to be administered. The pharmacy system might use RxNorm standards in developing hospital formulary for interoperability to brand named and generic named clinical drugs.

5. Define clinical terminology.

A set of standardized terms and their synonyms that record patient findings, circumstances, events, and interventions with sufficient detail to support clinical care, decision support, outcomes research, and quality improvement. It is a common language used between healthcare providers.

6. Give an example of how clinical terminology might be used in a healthcare organization.

A controlled terminology used in natural language processing is SNOMED-CT. The articles explain how SNOMED-CT is used for recording and sharing clinical data across information systems

#### Reference

Oachs and Watters Sayles and Gordon

### Documentation Standards for the Hospital Based Health Record

#### **Questions and Suggested Answers**

1. Review the Joint Commission website (<u>www.jointcommission.org</u>) for new releases that have occurred within the hospital sector and select **three** standard updates within the past three years, that could impact a hospital's accreditation due to information management aspects. Realize the standard change may not explicitly state information management, but as a HIM professional, you realize the standard impacts the care process and health record documentation requirement to substantiate service provided. Identify each standard change below chosen by the Joint Commission, including the standard number and title, and provide the working link to each release web address you selected.

Students' answers will vary dependent on new release chosen.

2. As a HIM manager, respond briefly in three paragraphs what policy and procedure should be implemented to ensure the hospital complies with each new JC standard requirement to meet documentation needs.

Students' answers will vary dependent on new release chosen. However, each student's response should correspond with identified news releases answer they provide under question #1.

#### References

Joint Commission <u>www.jointcommission.org</u> Oachs and Watters Sayles and Gordon

#### References

- AHIMA. (2014). "Clinical Vocabularies: Essential to the Future of Health Information Management." 2004 IFHRO Congress & AHIMA Convention Proceedings, October 2004. http://ahima.org.
- American Health Information Management Association (AHIMA). (n.d. 1). Practice brief. The role of the personal health record in the EHR (updated). http://library.ahima.org/.
- American Health Information Management Association (AHIMA). (July 2, 2010). FORE BoK. Coding workflow and CAC practice guidance. Practice brief. *Journal of AHIMA*. (updated). http://www.ahima.org/resources/bok.
- American Health Information Management Association (AHIMA). (September 2010). Practice brief. Fundamentals for building a master patient index/enterprise master patient index (updated 2010). http://www.ahima.org/resources/bok.
- American Health Information Management Association (AHIMA). (August 2011). "HIM functions in healthcare quality and patient safety. Appendix C: HIM's role in data capture, validation, and maintenance." *Journal of AHIMA* 82, no. 8: expanded online version.
- Bowie, M., & Green, M. (2016). *Essentials of health information management* (3rd ed.). Clifton Park, NY: Cengage Learning.
- Centers for Medicare and Medicaid Services. (n.d.). Accessed May, 13, 2017, from www.cms.gov//EHRincentiveprograms.

Centers for Medicare and Medicaid Services. (2016). Minimum data set version 3.0.

Related Links to http://www.cms.gov/.

- <u>1. MDS 3.0 RAI Manual v1.14 October 2016</u>
- <u>2. MDS 3.0 RAI Manual v1.14 and Change Tables October 2016</u>
- <u>3. MDS 3.0 RAI Manual v1.14 Replacement Manual Pages and Change Tables October 2016</u>
- <u>4. MDS Forms (Item Sets) v1.14 October 2016</u>
- <u>5. MDS RAI Manual Appendix B 04-27-2017</u>)

GPO Code of Federal Regulations (part 482.24). http://www.gpo.gov/fdsys/pkg/ CFR-2011-title42-vol5/xml/CFR-2011-title42-vol5-part482.

Green, A. (April 2012). AHIMA "HIPAA compliance for clinician texting." *Journal of AHIMA* 83, no. 4: 34–36.

HEDIS 2017 Volume 2 List of Measures.

https://www.ncqa.org/Portals/0/HEDISQM/HEDIS2017/HEDIS%202017%20Volume%202%20List%2 0of%20Measures.pdf?ver=2016-06-27-135433-350.

HIPAA Journal. (n.d.). "Is texting in violation of HIPAA?" http://www.hipaajournal.com/texting-violationhipaa/.

Joint Commission. (n.d. 1). Facts about ORYX<sup>™</sup> for hospitals (National Hospital Quality Measures). https://www.jointcommission.org/facts\_about\_oryx\_for\_hospitals/. Joint Commission. (n.d. 2). Specifications manual for joint commission national quality measures.

- (Specifications Manual for National Hospital Inpatient Quality Measures v.5.2a, applicable 1/1/2017 - 12/31/2017)
- Download Complete Manual v5.2a (Zipped file with PDFs) -10/20/2016
- <u>Release Notes v5.2a</u> 10/20/2016
- <u>Release Notes v5.2</u> 7/1/2016 https://www.jointcommission.org/specifications\_manual\_for\_national\_hospital\_inpatient\_ quality\_measures.aspx.
- Joint Commission. (n.d. 3). Accreditation process overview.

http://www.jointcommission.org/assets/1/18/Accreditation\_Process\_Overview.pdf.

- Joint Commission. (n.d.). How to conduct a mock survey. https://www.jointcommissioninternational.org/pathway/jci2015/documents/How\_to\_Conduct\_a\_ Mock\_Tracer.pdf.
- Joint Commission. (n.d. 4). FAQ page. http://www.jointcommission.org/about/JointCommissionFaqs.aspx.
- Joint Commission. (n.d. 5). https://www.jointcommission.org/assets/1/23/Quick\_Safety\_Issue\_10.pdf.
- McWay, D. C. (2020). *Today's health information management: An integrated approach* (3rd ed.). Clifton Park, NY: Cengage Learning.
- National Committee for Quality Assurance (NCQA). The state of health care quality 2013: Executive summary. https://www.ncqa.org/Portals/0/Newsroom/SOHC/2013/SOHC-web\_version\_report.pdf.
- National Committee for Quality Assurance (NCQA). 2016 State of Health Care Quality Table of Contents. http://www.ncqa.org/report-cards/health-plans/state-of-health-care-quality/2016-table-ofcontents.
- Oachs, P. K., & Watters, A. L. (2016). *Health information management concepts, principles, and practice* (5th ed.). Chicago: AHIMA.
- Sayles, N., & Gordon L. L. (2016). *Health information management technology: An applied approach* (5th ed.). Chicago: AHIMA.
- Williams, A. (2006). "Design for better data: How software and users interact onscreen matters to data quality." *Journal of AHIMA, 77*, no. 2: 56–60. http://bok.ahima.org/.